

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Caron
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Printer					
Commercial name *	PIXMA					
Model number *	TS5350, TS5340, TS5351, TS5352					
Issue date *	2019/09/05					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	TS5350, TS5340, TS5351, TS5352	Logo					
Issue date *		2019/09/05		Ca	Canon			
Product	t environ	mental attributes - Legal requirements		Require	ement	met		
Item				Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and NO	OTE B1)	\square				
P1.2*		e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square				
P1.3*	hydrobro trichloroe	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.		1-				
P1.4*		e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	\boxtimes				
P1.5*	Products	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms	in the				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/	week				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail o www.canon-europe.com/about_us/sustainability/business/reach_customer_state	,	\square				
P2	Batterie	S						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposa	al 🗌		\square		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\square		
P3	Conform	nity verification & Eco design (ErP)						
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	al reference	ce). 🔀				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\square				
	Required	I information is; given in item P15 or added to this document, available at (add URL): http://www.canon-europe.com/pr	intern (\square				
P4	Conour	available at (add URL): <u>http://www.canon-europe.com/pr</u> hable materials	<u>inters/</u>					
P4.1*	If a phote	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	x 0,01% (s	see				
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	al reference	ce).				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5	· ·	packaging						
P5.1*	Packagii	ing and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	v, cadmiur	n and 🔀				
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the mate	erial(s) 🔀				
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). (see legal reference). ti: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀				
P6		nt information						
		on for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	TS5350, TS5340, TS5351, TS5352	Logo				
Issue da	ate *	2019/09/05		Ca	10	n	
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design	while reacyalize					
P7.1*		nbly, recycling t have to be treated separately are easily separable					
P7.2*		aterials in covers/housing have no surface coating.			<u>+</u>	<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>	
					<u> </u>	<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		. 🛛	<u>Ц</u>	<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	allable too		<u>Ц</u>	<u> </u>	
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).					
ד בם	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>		
P7.8*		g can be done using commonly available tools					
P7.9.		rts are available after end of production for: years					
P7.10	Service is	s available after end of production for: years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: plastics Material type: Material	type:				
P7.12	Insulation	n materials of external electrical cables are PVC free.	type.				
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>	╞		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants	, and 📃			
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	e low			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without cor additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): , CAS #:				
		emical specifications of flame retardants in printed circuit boards (without componen g ISO 1043-4:	its) > 25 g				
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	/preparatic	ins in			
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	-4:				
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	nave been				
DZ CO			IOTE B5)				
P7.20*	lf YES; a a) Of to perc or	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (centage of total plastic by weight) is %.	(calculated	l as a			
	b) The	weight of recycled material is 1.8 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	imber *	TS5350, T	S5340, TS5351, TS53	352		Logo		
Issue dat	Je date * 2019/09/05						Canon	
Product	environ	mental attr	ibutes - Market ree	quirements (cont	inued)		Requirement r	net
Item							Yes No	n.a.
			ance requirements (c					
P7.21*		•	terial content is used i	• •	,			
	a) Of tota or	total plastic al plastic by	weight) is %.	the biobased plastic	vered; material content (calcu	lated as a perce	entage of	
P7.22*	Light so	urces are fre	he biobased plastic ma e from mercury, i.e. le	ess than 0,1 mg/lamp				
			pecify: Number of lamp	os: and maxir	num mercury content pe	er lamp: r	ng	
P8	Batterie	-						
P8.1*	-	chemical cor						
P9			on (See NOTE B8)	01 000101/	iono oro ronarta di			
P9.1		product the t	ollowing power levels					
Energy m	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		
	de for ENE Operational ducts		W	W	0.84 W		ENERGY STAR maging Equipment	
Standby/o ENERGY	off mode fo STAR Op M) products	erational	W	W	0.24 W		ENERGY STAR maging Equipment	
	e for ENEF	RGY STAR	kWh/week	kWh/week	kWh/week			
(TEC= Ty	pical Energ	gy						
			W	W	W			
			W	W	W			
			W	W	W			⊢
			W	W	W			븜
			W		W			븜
								屵
			W	W	W			
External F	Power Sup	ply Efficienc	y Level (International I	Efficiency Marking P	rotocol) * :			\boxtimes
Print/Scar	n Speed *	: '	13.0 images per minut	e		ISO/IEC 2473	34	
Default tir	ne to enter	energy sav	e mode: minute	es s		1		
P9.2*	Informat	tion about th	e energy save function	n is provided with the	e product.	1		Ħ
P10	Emissio		<u> </u>	•	•			
			Declared according to	ISO 9296 (See NOT	E B9)			
P10.1	Mode	Mo	ode description		Statistical upper limit A-w _{WA,c} (B)	veighted sound	power level,	
	Idle	*	*					\square
	Operatio	on * o	* operation mode in ECMA-74		* 6.4			
	Other m	ode						
	Measure	ed according		ECMA-74 (only if not covered b	NV FCMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

wodernu	mber *	TS5350, TS5340), TS5351, TS5	352			Logo			
Issue dat	e *	2019/09/05						Cat	101	1
Product	environ	mental attribute	es - Market re	equiremen	ts (continued)		·	Require	ement	t me
Item				•				Yes	No	
	Chemi	cal emissions fro	m printing pro	ducts (See	NOTE B10)					
P10.2*		rformed according ent (ISO/IEC 2836			on of Chemical Emis	sion Rates from	n Electronic	\boxtimes		
P10.3		emission rate (op								
	Electro Ink dev	photographic devidices:	ces: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
					o labels to be decla	red in P14.				
P11		mable materials f								
P11.1*	A Safet	y Data Sheet (SD	S) is available fo	or the ink/tor	er preparation, eve	n if not legally r	equired (see P4	.3).		
P11.2*	EN 122	81.			n be used, provide	d that it meet	s the requireme	ents of 🔀		
P11.3*	2-sided	(duplex) printing/	copying is an in	tegrated pro	duct function.			\square		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.									
P13	Packag	jing and docume	ntation							
P13.1*	Produc	t packaging mater t packaging mater t packaging mater	ial type(s): EPS	We	er weight (kg): eight (kg): 0.106 eight (kg): 0.024	1.163				
P13.2*		t plastic primary pa			0 (0)			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 80 %									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	Úser ar	only complete thind product docume please specify:								
	Elemer	chlorine-free Ital chlorine-free sed chlorine-free								
P14		ary programs:								
P14.1	The pro	oduct meets the re	quirements of th	he following	voluntary program(s):				
	ENERO Eco-lat Eco-lat		Criteria ver Criteria ver Criteria ver	rsion:	Date: Date: Date:	Produ	ict category: ict category: ict category:			
P15		nal information (24.0.	1.500				
				/						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1