

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Printer					
Commercial name *	PIXMA					
Model number *	TS3350, TS3340, TS3351, TS3352					
Issue date *	2019/09/05					
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model nu	umber *	TS3350, TS3340, TS3351, TS3352			
Issue date *		2019/09/05	Ca	101	1
Product	environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the intaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm ² /week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.canon-europe.com/about_us/sustainability/business/reach_customer_statement/	\boxtimes		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			\square
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\square
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)			\square
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): ww.canon-europe.com/ce-documentation/			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
		d information is; given in item P15 or added to this document,	\boxtimes		
P4	Concur	available at (add URL): <u>http://www.canon-europe.com/printers/</u>			
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see erence and NOTE B1).			\square
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink are Com applicab	//toner formulation/preparation is classified as hazardous or contains a substance for which there immunity workplace exposure limits, the product/packaging is adequately labeled according to le regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available al reference).			
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and ent chromium by weight of these together.	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material(s are legal reference).)		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference).	al 🖂		
	Comme	at: Legal reference has no maximum concentration values			
P6		nt: Legal reference has no maximum concentration values.			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	TS3350, TS3340, TS3351, TS3352	Logo			
Issue da	ate *	2019/09/05		Ca	10	n
	Environn	mental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require	ement	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	while reacyalize				
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
					<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	- 1 - 1 - 1		<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	allable too		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
ד בס	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>	
P7.8*		g can be done using commonly available tools				
P7.9.		rts are available after end of production for: years				
P7.10	Service is	s available after end of production for: years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): ype: plastics Material type: Material	tupo:			
P7.12	Insulation	n materials of external electrical cables are PVC free.	type.			
P7.13		n materials of internal electrical cables are PVC free.			-#-	
P7.14	External weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brc 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) cl g more than 25% post-consumer recycled content.	retardants	, and 📃		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	5 g 🗌 are	e low		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without cor additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): , CAS #:			
		emical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4:	ts) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances, ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparatio	ns in		
	<u>Alt.</u> 2: Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	nave been			
			OTE B5)	<u> </u>		
P7.20*	lf YES; a a) Of to perc	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content entage of total plastic by weight) is %.	calculated	as a		
	or b) The	weight of recycled material is 6.4 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	umber *	TS3350, T	S3340, TS3351, TS3 3	352		Logo	
Issue da	sue date * 2019/09/05						Canon
Product	t environi	nental attr	ibutes - Market red	quirements (conti	nued)		Requirement me
Item				-			Yes No n.
			ance requirements (c				
P7.21*		•	terial content is used i	•	,		
	a) Of tota or	total plastic al plastic by		the biobased plastic ı	ered; material content (calcu	lated as a perce	entage of
P7.22*	Light so	urces are fre	e from mercury, i.e. le becify: Number of lamp	ess than 0,1 mg/lamp.	um mercury content pe	er lamp: r	ng
P8	Batterie	S					-
P8.1*		chemical cor	nposition:				
P9	Energy	consumptio	on (See NOTE B8)				
P9.1	For the	product the f	ollowing power levels	or energy consumption	ons are reported:		
Energy m	node *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	
	ode for ENE Operational ducts		W	W	0.82 W		ENERGY STAR [maging Equipment
Standby/ ENERGY	off mode fo STAR Op M) products	erational	W	W	0.23 W		ENERGY STAR [maging Equipment
	e for ENEF		kWh/week	kWh/week	kWh/week		
(TEC= Ty	pical Energ	ду					
			W	W	W		
			W	W	W		
			W	W	W		Γ
			W	W	W		L
			W	W	W		L
			W	W	W	-	L
	-	ply Efficienc	y Level (International I	Eπiciency Marking Pro			
Print/Sca	n Speed *		7.7 images per minute			ISO/IEC 247	34
Default ti	me to enter	energy sav	e mode: minute	es			
P9.2*	Informat	ion about th	e energy save functior	n is provided with the	product.		
P10	Emissio						
		mission – D	Declared according to l				
P10.1	Mode	Mo	ode description		atistical upper limit A-w _{vA,c} (B)	veighted sound	power level,
	Idle	*	*				
	Operatio	on * c	peration mode in ECM	MA-74 * 6	6.2		ľ
	Other m	ode					
	Measure	ed according		ECMA-74 (only if not covered by	v FCMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) Other System P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: Consumable materials for printing products P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of Elexating material type(s): EPS Image: Consumable material type(s): P13 P13.4* The product backaging material type(s): Corrugated Paper weight (kg): 0.103 P13.4* Specify media for user and product documentation (kg): 0.022 Image: Consumer recovered fiber content: P13.4* Specify media for user and product documentation used) User and product packaging inster free Image: Consumer recovered fiber content: P13.4* Specify media for user and product documentation on paper	Model nu	mber *	TS3350, TS3340), TS3351, TS3	352			Logo			-
Item Yes No Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) (), other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1' A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2' Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3' 2-sided (duplex) printing/copying is an integrated product function. P11.4' The product is delivered to end-user with default auto-duplex enabled. P13.1' Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): EPS weight (kg): 0.022 P13.2' Product packaging anderial type(s): EPS weight (kg): 0.022 P13.2' For product documentation on paper media is chlorine-free: P13.4' Specify media for user and product documentation (tick box): Electronic (). Paper (). Other P13.4' Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: P13.4' Voluntary programs: P14.1 The product category: P13.5' Product packaging is free from PVC. P13.4' Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: P14.4' The product documentation on paper media is chlorine-free: P14.5' Product category: P14.1' The product documentation on paper media is chlorine-free: P14.5' Product category: P13.5' Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: P14.5' Product category: P14.5' Product category: P14.5' Produc	Issue date	e *	2019/09/05						Can	101	1
Item Yes No Chemical emissions from printing products (See NOTE B10) Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) (△, other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1' A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2' Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3' 2-sided (duplex) printing/copying is an integrated product function. P11.4' The product is delivered to end-user with default auto-duplex enabled. P13.1' Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): EPS weight (kg): 0.022 P13.2' Product packaging and from PVC, P13.3' Soretry ackaging is free from PVC. P13.4' Specify media for user and product documentation (tick box): Electronic (△, Paper (△, Other (□) P13.4' Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chorine-free Elemental chlorine-free Element	Product	environ	mental attribute	es - Market re	quirement	s (continued)		·	Require	ement	t me
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic □ P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P1111* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). □ P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). □ P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. □ P11.3* 2-sided (duplex) printing/copying is an integrated product function. □ □ P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): PE weight (kg): 0.022 P13.2* Product packaging material type(s): PE weight (kg): 0.022 □ □ P13.3* For product primary packaging is free from PVC. □ □ P13.4* Specify media for user and product documentation used) □ □ □ P13.4* Specify media for user and p					•	. ,					n.a
Equipment (ISO/IEC 28360) ⊠, other specify: P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11. Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of Note: P11.3* 2-sided (duplex) printing/copying is an integrated product function. P13.4* The product sackaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): PE weight (kg): 0.022 P13.2* Product packaging material type(s): PE weight (kg): 0.022 P13.3* For product packaging material type(s): PE weight (kg): 0.022 P13.4* Specify media for user and product documentation (tick box): P13.5* <		Chemi	cal emissions fro	m printing pro	ducts (See N	IOTE B10)					
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozet Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P11.4* The product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): PE weight (kg): 0.103 Product packaging material type(s): PE weight (kg): 0.022 P13.3* For product packaging material type(s): PE weight (kg): 0.103 P13.4* Specify media for user and product documentation (tick box):	P10.2*					n of Chemical Emis	sion Rates from	n Electronic	\square		
Ink devices: Dust Styrene Benzene TVOC Note: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product sedivered to end-user with default auto-duplex enabled. P11.4* The product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): EPS weight (kg): 0.022 P13.2* Product packaging material type(s): EPS weight (kg): 0.022 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: P13.4* <	P10.3	Typical	emission rate (op	eration phase) is	s (mg/h):						
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: Consumable material spectronsumer recycled fibers can be used, provided that it meets the requirements of the 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. Image: Consumable material specific consumer recycled fibers can be used, provided that it meets the requirements of the ink/toner preparation. P11.3* 2-sided (duplex) printing/copying is an integrated product function. Image: Consumable material specific consumer recycled fibers can be used, provided that it meets the requirements of the ink/toner preparation. P13.4* The product is delivered to end-user with default auto-duplex enabled. Image: Consumater consumer recycled fibers can be used, provided that it meets the requirements of the following to the following (kg): 0.804 P13.1* Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): PE weight (kg): 0.022 P13.2* Product plastic primary packaging is free from PVC. Image: Consumer recovered fiber content: 80 % P13.3* For product packaging material type(s): BP weight (kg): 0.022 P13.4* Specify media for user and product documentation (tick box): Electronic Paper (M), Other (M) P13.5 (Please only complete this item if pa			0 1	ces: Ozone		•					
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). Image: Containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13. Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): EPS weight (kg): 0.022 P13.2* Product packaging material type(s): PE weight (kg): 0.022 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic M, Paper M, Other I P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:		Note: c	ompliance with ma	ximum emissio	n rates in eco	a labels to be decla	red in P14.				
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.* Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): PES weight (kg): 0.022 P13.2* Product packaging material type(s): PE weight (kg): 0.022 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.3* For product packaging not user and product documentation (tick box): Electronic A paper A other P13.4* Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product catego											
EN 12281. Image: Constraint of the second secon	P11.1*	A Safet	y Data Sheet (SD	S) is available fo	or the ink/tone	er preparation, eve	n if not legally r	equired (see P4	.3).		
P11.4* The product is delivered to end-user with default auto-duplex enabled. Image: Constraint of the image: Constant of the image: Constant of the image: Cons	P11.2*			onsumer recycle	ed fibers car	n be used, provide	ed that it meets	s the requireme	ents of 🔀		
P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): PE weight (kg): 0.022 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic A, Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Eco-label: P14.1 The product meets the requirements of the following voluntary program(s): Exc. Jabel: ENERGY STAR® Eco-label: Criteria version: Date: Product category: Product category:	P11.3*	2-sided	(duplex) printing/o	copying is an int	egrated prod	uct function.			\square		
P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 0.804 Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): PE weight (kg): 0.022 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic A, Paper A, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Consume recovered fiber content: 80 % P13.5 (Please specify: Totally chlorine-free Image: Consume recovered fiber content: 80 % P14 Voluntary programs: Image: Consume recovered fiber content: 90 % P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product categ	P11.4*	The pro	duct is delivered t	o end-user with	default auto-	duplex enabled.				\boxtimes	
Product packaging material type(s): EPS weight (kg): 0.103 Product packaging material type(s): PE weight (kg): 0.022 P13.2* Product plastic primary packaging is free from PVC. Image: Consumer recovered fiber content: 80 % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other □ P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: Image: Consume recovered fiber content: 1f Yes, please specify: Totally chlorine-free Image: Consumer recovered fiber content: P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13	Packag	ing and docume	ntation							
P13.2* Product plastic primary packaging is free from PVC. Image: Construct of the product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P14.1 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Product category:	P13.1*	Produc	packaging materi	al type(s): EPS	we	ight (kg): 0.103	0.804				
consumer recovered fiber content: 80 % P13.4* Specify media for user and product documentation (tick box): Electronic ☑, Paper ☑, Other ☑ P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free □ P14 Voluntary programs: □ P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Criteria version: Date: Product category: Product category: Eco-label:	P13.2*				from PVC.	0 (0)			\boxtimes		
Electronic , Paper , Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Totally chlorine-free	P13.3*					g, specify the con	tained percenta	ige of minimum	post-		
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Criteria version: Date:	P13.4*				mentation (tic	k box):					
Elemental chlorine-free Image: Constraint of the following voluntary program(s): P14 Voluntary programs: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	P13.5	Úser ar	nd product docume								
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:		Elemer	tal chlorine-free								
ENERGY STAR® Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:											
Eco-label:Criteria version:Date:Product category:Eco-label:Criteria version:Date:Product category:	P14.1	The pro	duct meets the re-	quirements of th	ne following v	oluntary program(s	s):				
		Eco-lab	el:	Criteria ver	sion:	Date:	Produ	ct category:			
	P15					Date.	11000	or caregory.			
		Additte			/						

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1