

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Conton
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
conforms to the stateme	nts given in this declaration.				
Type of product *	Printer				
Commercial name *	PIXMA				
Model number *	TR150				
Issue date *	2020/9/23				
Intended market *	🗌 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	TR150	Logo			_
Issue date *		2020/9/23		Ca	MO	
Product	t environ	mental attributes - Legal requirements		Requi	remen	t met
Item				Ye	s No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	$\mathbf{X}$		
P1.2*		do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.		$\overline{\times}$		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values.		,1-		
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	nlorinated	$\boxtimes$		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	Parts wit (see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²,	/week		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail <a href="https://www.canon-europe.com/about_us/sustainability/business/reach_customer_stainability/business&lt;/td&gt;&lt;td&gt;,&lt;/td&gt;&lt;td&gt;&lt;math&gt;\boxtimes&lt;/math&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P2&lt;/td&gt;&lt;td&gt;Batterie&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P2.1*&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;duct contains a battery or an accumulator, the battery/accumulator is labeled with&lt;br&gt;Information on proper disposal is provided in user manual. (See legal reference)&lt;/td&gt;&lt;td&gt;the dispos&lt;/td&gt;&lt;td&gt;al 🔀&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P2.2*&lt;/td&gt;&lt;td&gt;Batteries&lt;br&gt;referenc&lt;/td&gt;&lt;td&gt;or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr&lt;/td&gt;&lt;td&gt;nium. (See&lt;/td&gt;&lt;td&gt;legal 🔀&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P2.3*&lt;/td&gt;&lt;td&gt;Batteries&lt;/td&gt;&lt;td&gt;and accumulators are readily removable. (See legal reference)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;math&gt;\mathbf{X}&lt;/math&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P3&lt;/td&gt;&lt;td&gt;Conform&lt;/td&gt;&lt;td&gt;nity verification &amp; Eco design (ErP)&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P3.1*&lt;/td&gt;&lt;td&gt;The Dec&lt;br&gt;http://ww&lt;/td&gt;&lt;td&gt;luct is CE-marked to show conformance with applicable legal requirements (see le&lt;br&gt;laration of Conformity can be requested at (add link or e-mail address):&lt;br&gt;w.canon-europe.com/ce-documentation/&lt;/td&gt;&lt;td&gt;gal referen&lt;/td&gt;&lt;td&gt;ce). 🔀&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;P3.2*&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;luct complies with the Eco design requirements for energy-related products,&lt;br&gt;al reference).&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;math&gt;\boxtimes&lt;/math&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;Required&lt;/td&gt;&lt;td&gt;I information is; given in item P15 or added to this document,&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;math&gt;\boxtimes&lt;/math&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;available at (add URL): &lt;a href=" http:="" p"="" www.canon-europe.com="">http://www.canon-europe.com/p</a>	rinters/			
P4		able materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium materiate and NOTE B1).				$\square$
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	gal referen	ce). 🛛 🔀		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance formunity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			
P5	Product	packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s) 🔀		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). t: Legal reference has no maximum concentration values.	in the Mo	ontreal 🔀		
P6		nt information				
-		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	TR150	Logo			
Issue date *		2020/9/23		Ca	10	11
-	Environn	mental attributes - Market requirements (See General NOTE GN below) mental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	n.a.
F/	Design	nbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			∺	
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	vilable tools		╞	
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			<u>+</u>	
P7.9.						<u> </u>
P7.9.						<u> </u>
P7.10						
P7.11*		and substance requirements over/housing material type (e.g. plastics, metal, aluminum):				
17.11		ype: plastics Material type (e.g. plastics, meal, authintin). Material t	vpe:			
P7.12	Insulation	materials of external electrical cables are PVC free.	7			
P7.13	Insulatior	materials of internal electrical cables are PVC free.		— Ħ	Ħ	Ħ
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brow 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame r chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	etardants,	and		
P7.15	Printed of	sircuit boards, PCBs (without components) are low halogen: all PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	low		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17	<u>Alt. 1: </u> Ch	emical specifications of flame retardants in printed circuit boards > 25 g (without com additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: ,	ponents): CAS #:			
		emical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4:	s) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparation	s in		
	<u>Alt.</u> 2: Cł	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been			
D7 00*			OTE B5)			
P7.20*	If YES; a a) Of to perc or	umer recycled plastic material content is used in the product (See NOTE B6): t least one of the two alternatives below shall be answered; btal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (rentage of total plastic by weight) is %.	calculated a	as a		
	b) The	weight of recycled material is 7.3 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	TR150				Logo	
Issue date	late * 2020/9/23						Canon
Product	environ	mental attr	ibutes - Market re	quirements (cont	inued)		Requirement met
Item							Yes No n.a.
	Materia	and substa	ance requirements (o	continued)			
P7.21*			terial content is used i				
	a) Of tota or	total plastic al plastic by		the biobased plastic	/ered; material content (calcu	lated as a perce	entage of
P7.22*	Light so	urces are fre	e from mercury, i.e. le becify: Number of lam	ess than 0,1 mg/lamp	o. num mercury content pe	er lamp: r	ng
P8	Batterie						
P8.1*		chemical cor	mposition:				
P9			on (See NOTE B8)				
P9.1		-	ollowing power levels	or energy consumpt	ions are reported:		
Energy mo	ode *		Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te	0,
Sleep moo STAR® O (OM) prod	perational		W	W	1.44 W		ENERGY STAR
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	0.27 W		ENERGY STAR
	of or ENEF	RGY STAR	kWh/week	kWh/week	kWh/week		$\boxtimes$
(TEC= Typ	pical Energ	gy					
			W	W	W		
			W	W	W		
			W	W	W		 
			W	W	W		
			W	W	W		
			W	W	W		
Fortes 1.2		<b>-</b>					
		piy ⊨πicienc	y Level (International	Emclency Marking P			$\square$
Print/Scan	Speed *	: 9	9.0 images per minute	l.		ISO/IEC 2473	34
Default tim	ne to enter	r energy sav	e mode: minute	es			
P9.2*	Informat	tion about th	e energy save function	n is provided with the	e product.		
P10	Emissio	ons					
		mission – D	Declared according to				
P10.1	Mode	M	ode description		statistical upper limit A-v <sub>WA,c</sub> (B)	veighted sound	power level,
	Idle	e * *			$\boxtimes$		
	Operatio	beration * operation mode in ECMA-74 * 6.00					
	Other m	ode					
	Measure	ed according		ECMA-74 (only if not covered b	DV ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	ımber *	TR150					Logo				
Issue date *		2020/9/23						Canon			
Dueslaset			• Menles(		(			Demin			
Item	environ	mental attribute	s - Market re	equirements	(continued)			Require Yes	No	n.a.	
Item	Chemic	cal emissions from	printing pro	ducts (See NO	TE B10)			165	NU	n.a.	
P10.2*	Test pe	rformed according ent (ISO/IEC 28360	to ECMA-328	Determination of		sion Rates from	Electronic				
P10.3		emission rate (ope									
	Electror	photographic device	· · ·	Dust	Styrene	Benzene	TVOC				
	Ink devi	0 1	es. 02011e	Dust	Styrene	Benzene	TVOC			H	
							1100				
		ompliance with max			abels to be decla	red in P14.					
P11		mable materials fo				. 'f e e t le e e lle e e					
P11.1*		y Data Sheet (SDS	•			• •	• •				
P11.2*	EN 122	-	-		•	ed that it meets	the requirement	s of 🔀			
P11.3*		(duplex) printing/co						$\square$			
P11.4*	The pro	duct is delivered to	end-user with	default auto-du	uplex enabled.				$\boxtimes$		
P13		ing and documen									
P13.1*	Product	Epackaging materia packaging materia packaging materia	l type(s): EPS	ugated Paper	weight (kg): weight (kg): weight (kg):	0.060					
P13.2*		plastic primary page		from PVC.				$\boxtimes$			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content:  86.7 %										
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										
	Elemen	chlorine-free tal chlorine-free sed chlorine-free									
P14		ary programs:									
P14.1	The pro	duct meets the req	uirements of th	ne following vol	untary program(s	s):					
	ENERG Eco-lab Eco-lab		Criteria ver Criteria ver Criteria ver	sion:	Date: Date: Date:	Produc	t category: t category: t category:				
P15	Additio	nal information (S	ee NOTE B11								

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1