



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Printer			
Commercial name *	MAXIFY			
Model number *	GX6550			
Issue date *	2023/04/21			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	GX6550	Logo	
Issue date *	2023/04/21		Canon

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/wee$ (see legal reference).	<			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X	П		
	http://www.canon-europe.com/about_us/sustainability/business/reach_customer_statement/				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I 🔀			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\square$	П		
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.canon-europe.com/ce-documentation/				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	X			
	Required information is; given in item P15 or added to this document,				
	available at (add URL): <a href="http://www.canon-europe.com/printers/">http://www.canon-europe.com/printers/</a>				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\boxtimes$			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there				
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		_		
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s) 🔀			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).	al 🔀			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		П		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	GX6550	Logo	
Issue date *	2023/04/21		Canon

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design  Pieces and the recovering			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.	X	H	_
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\overline{X}$	+	-
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\square$	+	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\perp$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		H	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: plastics Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		<u>Ц</u>	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		Ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		Ш	
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
1	If YES; at least one of the two alternatives below shall be answered;			
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is</li> <li>%.</li> </ul>			
	or b) The weight of recycled material is 5.8 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	l number * GX6550			Logo						
Issue date *	sue date * 2023/04/21				Canon					
Product environr	nental att	ributes - Market red	quirements (cont	inued)		Requirement met				
Item						Yes No n.a.				
		ance requirements (c		LOTE DT						
		aterial content is used i	, ,	,						
a) Of total or	total plastic by weight) is %. ″ or									
		the biobased plastic ma ee from mercury, i.e. le		`						
		pecify: Number of lamp		o. num mercury content pe	r lamp: r	mg 🔲 🔲				
P8 Batterie		' '		<u>, , , , , , , , , , , , , , , , , , , </u>	•	<u> </u>				
		mposition: <i>Lithium</i>								
P9 Energy	consumpti	on (See NOTE B8)								
P9.1 For the p	product the	following power levels	or energy consumpt	ions are reported:						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te					
Sleep mode for ENE STAR® Operational (OM) products		W	W	0.83 W	_	ENERGY STAR maging Equipment				
Standby/off mode fo ENERGY STAR Ope Mode (OM) products	erational	W	W	0.05 W	OM mode in	ENERGY STAR maging Equipment				
TEC value for ENER TEC products		kWh/week	kWh/week	kWh/week						
(TEC= Typical Energ	ЭУ									
		W	W	W						
		W	W	W						
		W	W	W						
		W	W	W						
		W	W	W						
		W	W	W						
External Power Supr	oly Efficienc	l cy Level (International I	-fficiency Marking P	rotocol) * ·						
Print/Scan Speed *		24 images per minute			ISO/IEC 247					
•					130/IEC 247	<u> </u>				
Default time to enter										
	P9.2* Information about the energy save function is provided with the product.									
P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)										
P10.1 Mode		ode description		tatistical upper limit A-w	eighted sound	power level				
			L	<sub>WA,c</sub> (B)		·         ·       ·         ·				
Idle	*		*							
	Operation * operation mode in ECMA-74 * 6.7									
Other m										
Measure	ed according		ECMA-74 (only if not covered b	by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	odel number * GX6550		L	.ogo					
Issue date	*	2023/4/21				C	and	<b>)11</b>	
Product	Product environmental attributes - Market requirements (continued)  Requirement met								met
Item		·	`				Yes	No	n.a.
		cal emissions from printing products (See NO							
P10.2*		rformed according to ECMA-328 Determination	of Chemical Emission R	ates from Ele	ctronic				
		ent (ISO/IEC 28360) 🔀, other specify:							
P10.3	Typical	emission rate (operation phase) is (mg/h):							
	Electro	photographic devices: Ozone Dust	Styrene Be	enzene	TVOC				
	Ink dev	ces: Dust	Styrene Be	enzene	TVOC				П
	Note: c	ompliance with maximum emission rates in eco	labels to be declared in	P14.					
P11	Consu	nable materials for printing products							
P11.1*	A Safet	y Data Sheet (SDS) is available for the ink/toner	preparation, even if not	legally require	ed (see P	4.3).	$\boxtimes$		
P11.2*	Paper of EN 122	containing post-consumer recycled fibers can 81.	be used, provided that	it meets the	requirem	ents of			
P11.3*	2-sided	(duplex) printing/copying is an integrated produ	ct function.				$\square$		
P11.4*	The pro	duct is delivered to end-user with default auto-d	uplex enabled.				Ħ	$\overline{\boxtimes}$	Ħ
P13	Packag	ing and documentation							
P13.1*		packaging material type(s): Paperboard(Cardbo							
			tht (kg): 0.318						
P13.2*	Product	packaging material type(s): PE weight (kg): 0. plastic primary packaging is free from PVC.	130				<u> </u>	$\overline{}$	$\overline{}$
P13.3*								Ш	<u> </u>
P13.3		er recovered fiber content: 86 %	, specify the contained	percentage c	n minimu	m post-			Ш
P13.4*		media for user and product documentation (tick $\mathbb{N}$ , Paper $\mathbb{N}$ , Other $\mathbb{N}$	box):						
P13.5	(Please	only complete this item if paper documentation	used)						
		d product documentation on paper media is chlolease specify:	orine-free:						
	Totally	chlorine-free					П		
	Elemen	tal chlorine-free					Ħ		
	Process	sed chlorine-free					Ħ		
P14	Volunta	ary programs:							
P14.1	The pro	duct meets the requirements of the following vo	luntary program(s):						
	ENERG	Y STAR® Criteria version:	Date:	Product ca	tegory:				
	Eco-lab		Date:	Product ca	0 ,				
P15	Eco-lab	el: Criteria version: nal information (See NOTE B11)	Date:	Product ca	tegory:				
F15	Additio	nai inioiniation (See NOTE DTT)							
L									

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1