



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N. V	
Contact information *	environment@canon-europe.com	Canon
e-mail address		
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Multifunction Printer					
Commercial name *	PIXMA					
Model number *	G3480					
Issue date *	2024/5/7					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	G3480	Logo	0
Issue date *	2024/5/7		Canon

<b>Product</b>	oduct environmental attributes - Legal requirements							
Item		Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$						
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$						
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-							
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum							
P1.4*	concentration values.  Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		$\overline{}$					
F 1.4	terphenyl (PCT) in preparations (see legal reference).	$\bowtie$	Ш					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	• X						
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).							
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5~\mu g/cm^2/week$			$\boxtimes$				
	(see legal reference).							
D. 4 = 1	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.canon-europe.com/about_us/sustainability/business/reach_customer_statement/	$\boxtimes$						
P2	Batteries (1) It is a second of the second o		_	<u> </u>				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	$\boxtimes$				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			$\boxtimes$				
	reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$						
	The Declaration of Conformity can be requested at (add link or e-mail address):							
P3.2*	http://www.canon-europe.com/ce-documentation/ The product complies with the Eco design requirements for energy-related products,							
F J.Z	(see legal reference).	$\boxtimes$	Ш	Ш				
	Required information is; given in item P15 or added to this document,	$\boxtimes$						
	available at (add URL): http://www.canon-europe.com/printers/							
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see			$\square$				
	legal reference and NOTE B1).							
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).							
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there							
	are Community workplace exposure limits, the product/packaging is adequately labeled according to							
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available							
P5	(see legal reference).  Product packaging							
P5.1*		d 🔀						
J. J. I	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.							
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	) 🔲						
DE C*	used (see legal reference).		_					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco	и 🔀						
	(see legal reference).  Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	G3480	Logo	0
Issue date *	2024/5/7		Canon

	t environmental attributes - Market requirements (See General NOTE GN below)  Environmental conscious design	Require	ement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		_ <u></u> _	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools			$\boxtimes$
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of recycled material is 315 1g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

woder nur	Wodel Humber G3400								
Issue date	ssue date * 2024/5/7						Can	<b>OT</b>	
Product	Product environmental attributes - Market requirements (continued) Requirement met								met
Item							Yes	No	n.a.
	Material	and subst	ance requirements (c	continued)					
P7.21*	Biobased	d plastic ma	aterial content is used i	n the product (See	NOTE B7):			$\boxtimes$	
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  or								
	b) The	weight of t	the biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lam		p. mum mercury content per	lamp: r	ng		
P8	Batteries								
P8.1*	Battery c	hemical co	mposition						$\boxtimes$
P9	Energy	consumpti	on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		nergy	
Sleep mod STAR® Op (OM) produ	perational		W	W	1.05W		ENERGY STAR maging Equipme n	nt	
Standby/of ENERGY S Mode (OM	f mode for STAR Ope	erational	W	W	0.06W	OM mode in	ENERGY STAR maging Equipme	nt	
TEC value TEC produ	for ENER		kWh/week	kWh/week	kWh/week				
(TEC= Typical Energy		ly							
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
			W	W	W				
External Po	ower Supp	oly Efficienc	y Level (International	Efficiency Marking F	Protocol) * :				$\boxtimes$
Print/Scan	Speed *	:	11.0 images per minu	te		ISO/IEC 2473	34		
Default tim	e to enter	energy sav	ve mode: minute	es					
P9.2*	Informati	on about th	ne energy save function	n is provided with th	e product.				
P10 Emissions									
			Declared according to						
P10.1	Mode	M	ode description		Statistical upper limit A-we - <sub>WA,c</sub> (B)	eighted sound	power level,		
	Idle	*			*			$\boxtimes$	
	Operatio		operation mode in ECN	MA-74	7.0				
Other mode									
	Measure	d according		ECMA-74					
			Other	(only if not covered	by ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	G3480	Logo	0
Issue date *	2024/5/7		Canon

Product 6	environmental attributes	s - Market requ	irements (co	ontinued)		R	equire	ment	met
Item							Yes	No	n.a.
	Chemical emissions from	printing produc	ts (See NOTE	B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic						$\boxtimes$		
	Equipment (ISO/IEC 28360								
P10.3	Typical emission rate (oper	ation phase) is (n	ng/h):						
	Electrophotographic device	s: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	Note: compliance with max	imum emission ra	ites in eco labe	els to be declar	ed in P14.				
P11	Consumable materials fo								
P11.1*	A Safety Data Sheet (SDS)	is available for th	ne ink/toner pre	eparation, ever	if not legally red	quired (see P4.3).	$\boxtimes$		
P11.2*	Paper containing post-con EN 12281.	sumer recycled	fibers can be	used, provide	d that it meets	the requirements of	$\boxtimes$		
P11.3*	2-sided (duplex) printing/co	pying is an integr	ated product fo	unction.			$\boxtimes$		
P11.4*	The product is delivered to	end-user with def	fault auto-duple	ex enabled.				$\boxtimes$	
P13	Packaging and document								
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 3.078 Product packaging material type(s): PULP MOLD (kg): 0.376 Product packaging material type(s): PE weight (kg): 0.056								
P13.2*	Product plastic primary packaging is free from PVC.								
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:87%								
P13.4*	Specify media for user and Electronic ⊠, Paper ⊠, 0		ntation (tick bo	x):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:								
	Totally chlorine-free								
	Elemental chlorine-free								
	Processed chlorine-free						П		
P14	Voluntary programs:								
P14.1	The product meets the requ	uirements of the fo	ollowing volunt	ary program(s)	):				
	ENERGY STAR®	Criteria version		Date:		t category:			
	Eco-label:	Criteria version		Date:		category:			
P15	Eco-label:	Criteria version	<u>1:</u>	Date:	Produc	category:			
F13	Additional information (S	ee NOIE DIT)							

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1