

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N. V	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Multifunction Printer					
Commercial name *	PIXMA					
Model number *	TS3750i,TS3751i,TS3752i					
Issue date *	2024/01/23					
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

moderm	umber *	TS3750i,TS3751i,TS3752i	Logo			
Issue date *		2024/01/23		Ca	Canor	
Produc	t environ	mental attributes - Legal requirements		Require	ement	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	${\sf S}$ do comply with the current European RoHS Directive. (See legal reference and N	OTE B1)	$\square$		
P1.2*		o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$		
P1.3*	hydrobro trichloro	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.		,1-		
P1.4*		e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	nlorinated	$\boxtimes$		
P1.5*	Products	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms	in the		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/	/week		$\square$
P1.7*		Article 33 information about substances in articles is available at (add URL or mail <a href="http://www.canon-europe.com/about">www.canon-europe.com/about</a> us/sustainability/business/reach customer sta		$\square$		
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposa	al 🗌		$\square$
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See	legal		$\square$
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\boxtimes$
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) and the laration of Conformity can be requested at (add link or e-mail address): w.canon-europe.com/ce-documentation/	gal referen	ce). 🔀		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	Required information is; given in item P15 or added to this document,					
		available at (add URL): <u>http://www.canon-europe.com/p</u>	<u>rinters/</u>			
P4		nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	•			
P4.2*		er is used in the product, it does not contain cadmium max 0,1% by weight (see leg	-			
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substance for munity workplace exposure limits, the product/packaging is adequately labeled acc le regulations and a Safety Data Sheet (SDS) in accordance with these requirement al reference).	cording to			
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmiur	m and  🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the mate	erial(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the l al reference). nt: Legal reference has no maximum concentration values.	Montreal Pr	rotocol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	TS3750i,TS3751i,TS3752i Logo			
Issue date *		2024/01/23	Ca	10	1
Produc -	Environr	mental attributes - Market requirements (See General NOTE GN below) nental conscious design	Requi	rement	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	i No	n.a.
P7	Design	and the second lines			
P7.1*		mbly, recycling It have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>	- [-]
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>	- [-]
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u> </u>
P7.5				_ <u>H</u> _	
P7.5 P7.6*		arts are free from metal inlays or have inlays that can be removed with commonly available tools. re easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	
P7.0					
P7.7*	Product	ing can be done e.g. with processor, memory, cards or drives			
P7.8*		ig can be done using commonly available tools		-#-	
P7.9.		arts are available after end of production for: years			
P7.10		s available after end of production for: years			⊢⊢
17.10		and substance requirements			
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum): type: plastics Material type: Material type:			
P7.12		n materials of external electrical cables are PVC free.			
P7.13	Insulation	n materials of internal electrical cables are PVC free.			$\neg$
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0, 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, a chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts contain n 25% post-consumer recycled content.	and 🗌		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 are low halog	jen		
		ed in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	accordin	nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	in		
	<u>Alt. 2: </u> Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:			
		rce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See NOTE B6):	$\boxtimes$		
	a) Of t pero	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated a centage of total plastic by weight) is %.	s a		
	or b) The	weight of recycled material is 25.2g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	TS3750i,T	S3751i, TS3752i			Logo	-	
Issue date * 2024/01/2			3			Canon	1	
Product	environ	nental att	ributes - Market red	quirements (conti	nued)		Requirement	met
Item							Yes No	n.a.
57.044			ance requirements (c		075 05			
P7.21*			terial content is used i		,			
	a) Of				ered; material content (calcu	lated as a perce	ntage of	
		e weight of t	he biobased plastic ma	aterial is g.				
P7.22*			ee from mercury, i.e. le becify: Number of lam	ess than 0,1 mg/lamp	um mercury content pe	er lamp: m	ng	
P8	Batterie	<u> </u>	, ,		, ,		5	
P8.1*		chemical co	mposition:					$\square$
P9	Energy	consumpti	on (See NOTE B8)					
P9.1	For the	product the	following power levels	or energy consumpti	ons are reported:			
Energy me	ode *		Power level at <b>100</b> V AC	Power level at <b>115</b> V AC	Power level at <b>230</b> V AC	Reference/Sta modes and te		
Sleep moo STAR® O (OM) prod	perational		W	W	1.29W		ENERGY STAR maging Equipment	
Standby/o ENERGY Mode (ON	ff mode fo STAR Ope	erational	W	W	0.17W	OM mode in E	ENERGY STAR naging Equipment	
	of or ENEF	RGY STAR	kWh/week	kWh/week	kWh/week			$\square$
(TEC= Ty	pical Energ	ду						
			W	W	W			
			W	W	W			
			W	W	W			$\overline{\neg}$
			W	W	W			$\exists$
			W	W	W			╞
			W	W	W			-
<b>E</b> udare - 1 <b>E</b>				••				
			y Level (International I			1		$\square$
Print/Scar	n Speed *	:	7.7 images per minute			ISO/IEC 2473	4	
Default tin	ne to enter	<sup>-</sup> energy sav	e mode: minute	es				
P9.2*	Informat	ion about th	e energy save functior	n is provided with the	product.	•		
P10	Emissio							
			Declared according to I					
P10.1	Mode	M	ode description		atistical upper limit A-v <sub>VA,c</sub> (B)	veighted sound p	oower level,	
	Idle	*		*				$\boxtimes$
	Operatio		operation mode in ECN	/A-74 * 6	6.5			
	Other m	ode						
	Measure	ed according		ECMA-74 (only if not covered by	y ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model IIu	mber *	TS3750i,TS3751	i,TS3752i				Logo			
Issue dat	e *	2024/01/23						Car	101	n
Product	environ	mental attribute	es - Market r	equirement	s (continued)			Requir	ement	t met
Item				-				Yes	No	n.a.
		cal emissions from								
P10.2*	Equipm	ent (ISO/IEC 2836	0) 🔀, other s	pecify:	n of Chemical Emis	sion Rates from	n Electronic			
P10.3	Typical	emission rate (ope	eration phase) i	is (mg/h):						
	Electrop Ink dev	photographic devic	es: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			
	Note: c	ompliance with ma	ximum emissio	on rates in eco	labels to be decla	red in P14				
P11		mable materials for								
P11.1*					er preparation, eve	n if not legally re	equired (see P4	.3).		
P11.2*	Paper o EN 122		nsumer recycl	ed fibers can	be used, provide	ed that it meets	s the requireme	ents of		
P11.3*	2-sided	(duplex) printing/c	opying is an in	tegrated prod	uct function.			$\boxtimes$		
P11.4*	The product is delivered to end-user with default auto-duplex enabled.									
P13	Packaging and documentation									
P13.1*	Product	: packaging materia : packaging materia : packaging materia	al type(s): PUL	P MOLD we	eight (kg): 0.222	1.016				
P13.2*	Product packaging material type(s): PP weight (kg): 0.052 Product plastic primary packaging is free from PVC.									
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 76.3%									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	Ùser ar	only complete this d product docume blease specify:								
	Totally chlorine-free									
	Process	sed chlorine-free								
P14		ary programs:		h a fall an in an	- 1 4 (	<u>}</u>				
P14.1	•		•	0	oluntary program(s	,				
		SY STAR®	Criteria ve		Date:		ct category:			
	Eco-lab Eco-lab		Criteria ve Criteria ve		Date: Date:		ct category: ct category:			
P15		nal information (			Date.	i iodu	or oarogory.			
	Additio			•/						

NOTE B10 A Guidance document on Chemical Emissions is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1