

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Canon | Logo |
|------------------------|------------------------------|-------|
| Company name * | Canon Europa N. V | |
| Contact information * | environment@canon-europe.com | Canon |
| e-mail address | | Canon |
| Internet site * | www.canon-europe.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | | |
|--|--|--|--|--|--|--|
| Type of product * | Multifunction Printer | | | | | |
| Commercial name * | PIXMA | | | | | |
| Model number * | E3640 | | | | | |
| Issue date * | 2024/5/30 | | | | | |
| Intended market * | 🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other | | | | | |
| Additional information | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

| | umber * | E3640 Lo | ogo | | | |
|--------------|------------------------|--|-------------|-------------|-------|-------------|
| Issue date * | | 2024/5/30 | | Cai | Canon | |
| Produc | t environ | mental attributes - Legal requirements | | Require | ment | met |
| Item | | | | Yes | No | n.a. |
| P1 | | ous substances and preparations | | | | |
| P1.1* | Products | s do comply with the current European RoHS Directive. (See legal reference and NOTE | E B1) | \square | | |
| P1.2* | | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | | | |
| P1.3* | hydrobro trichloroe | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlorid ethane, methyl bromide (see legal reference). Comment: Legal reference has no maxin ration values. | | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorir /I (PCT) in preparations (see legal reference). | nated | | | |
| P1.5* | Products | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon intaining at least 48% per mass of chlorine in the SCCP (see legal reference). | atoms in t | he 🔀 | | |
| P1.6* | (see lega | th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. | μg/cm²/we | ek 🗌 | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail cont ww.canon-europe.com/about us/sustainability/business/reach customer statem | | \square | | |
| P2 | Batterie | | | | | |
| P2.1* | | oduct contains a battery or an accumulator, the battery/accumulator is labeled with the o Information on proper disposal is provided in user manual. (See legal reference) | disposal | | | \boxtimes |
| P2.2* | Batteries reference | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium e) | n. (See leg | jal | | \square |
| P2.3* | Batteries | s and accumulators are readily removable. (See legal reference) | | | | \boxtimes |
| P3 | Conform | nity verification & Eco design (ErP) | | | | |
| P3.1* | The proc The Dec | duct is CE-marked to show conformance with applicable legal requirements (see legal r claration of Conformity can be requested at (add link or e-mail address): ww.canon-europe.com/ce-documentation/ | reference) | - | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, al reference). | | \square | | |
| | Required | d information is; given in item P15 or added to this document, | | \boxtimes | | |
| | | available at (add URL): <u>http://www.canon-europe.com/printe</u> | <u>ers/</u> | | | |
| P4 | Consum | nable materials | | | | |
| P4.1* | legal refe | o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0 erence and NOTE B1). | • | | | \square |
| P4.2* | If ink/ton | er is used in the product, it does not contain cadmium max 0,1% by weight (see legal r | reference). | | | |
| P4.3* | are Com applicab | //toner formulation/preparation is classified as hazardous or contains a substance for wi imunity workplace exposure limits, the product/packaging is adequately labeled accordi le regulations and a Safety Data Sheet (SDS) in accordance with these requirements is al reference). | ling to | | | |
| P5 | | t packaging | | | | |
| P5.1* | Packagii | ng and packaging components do not contain more than 0,01% lead, mercury, c ent chromium by weight of these together. | admium a | and 🔀 | | |
| P5.2* | The pac | kaging materials are marked with abbreviations and numbers indicating the nature of the elegal reference). | he materia | l(s) 🔀 | | |
| P5.3* | (see lega | duct packaging material is free from ozone depleting substances as specified in the Moni al reference). nt: Legal reference has no maximum concentration values. | treal Proto | col 🔀 | | |
| | | nt information | | | | |
| P6 | riculiic | | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model n | umber * | E3640 Logo | | | | |
|----------------|---|---|-----------|----------|----------|--|
| Issue date * | | 2024/5/30 | Canon | | | |
| Produc | t environ Environr | mental attributes - Market requirements (See General NOTE GN below) nental conscious design | Requir | ement | met | |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | Yes | | n.a. | |
| P7 | Design | | | | | |
| P7.1* | | mbly, recycling | | | | |
| P7.1* P7.2* | | t have to be treated separately are easily separable | | <u> </u> | <u> </u> | |
| | | aterials in covers/housing have no surface coating. | | <u> </u> | <u> </u> | |
| P7.3* | | arts > 100 g consist of one material or of easily separable materials. | | <u> </u> | <u> </u> | |
| P7.4* | | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | | |
| P7.5 | | arts are free from metal inlays or have inlays that can be removed with commonly available tools. | | | | |
| P7.6* | | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | | |
| D7 7* | Product | | | | | |
| P7.7* | | g can be done e.g. with processor, memory, cards or drives | | Ц. | | |
| P7.8* | | g can be done using commonly available tools | | | | |
| P7.9. | · · | rts are available after end of production for: years | | | | |
| P7.10 | | s available after end of production for: years | | | | |
| | | and substance requirements | | | | |
| P7.11* | Material | cover/housing material type (e.g. plastics, metal, aluminum): type: plastics Material type: Material type: | | | | |
| P7.12 | Insulation | n materials of external electrical cables are PVC free. | | | | |
| P7.13 | Insulation | n materials of internal electrical cables are PVC free. | | | | |
| P7.14 | weight (* polyvinyl | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containir n 25% post-consumer recycled content. | d 🗌 | | | |
| P7.15 | | ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 are low haloge | n | | | |
| | | d in IEC 61249-2-21. (See NOTE B2) | | | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without components): additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: | | | | |
| | accordin | nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: | | | | |
| P7.18 | concentr 1. Chem 2. Chem | ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " | n | | | |
| | <u>Alt. 2: </u> Cl | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | | | |
| P7.19 | In plastic | parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements: | | | | |
| | The sour | ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) | | | <u>.</u> | |
| P7.20* | Postcons | sumer recycled plastic material content is used in the product (See NOTE B6): | \square | | | |
| | a) Of t pero | t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as centage of total plastic by weight) is %. | а | | | |
| | or b) The | weight of recycled material is 25.2g. | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nu | ımber * | E3640 | | | | Logo | | | |
|---------------|--|----------------|--|-----------------------------------|--|-------------------------------|-------------------------------------|-------------|-------------|
| Issue dat | te * | 2024/5/30 | | | | | Can | 011 | |
| Product | environ | nental atti | ributes - Market red | quirements (cont | tinued) | | Requirer | nent m | let |
| Item | | | | | | | Yes | No n | ı.a. |
| D7.04* | | | ance requirements (c | | | | | | |
| P7.21* | | • | terial content is used i | | | | | \boxtimes | |
| | a) Of | | | | vered; material content (calcu | lated as a perce | ntage of | | |
| | b) The | e weight of t | he biobased plastic ma | aterial is g. | | | | | |
| P7.22* | | | ee from mercury, i.e. le becify: Number of lamp | | o. num mercury content pe | er lamp: n | ng | | |
| P8 | Batterie | s | | | | | | | |
| P8.1* | Battery of | chemical cor | nposition | | | | | \geq | 3 |
| P9 | | | on (See NOTE B8) | | | | | | |
| P9.1 | For the | product the f | ollowing power levels | or energy consump | tions are reported: | | | | |
| Energy m | ode * | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Sta modes and te | | ergy | |
| | de for ENE)perational ducts | | W | W | 1.29W | | ENERGY STAR maging Equipmen า | t | |
| ENERGY | off mode fo STAR Ope () products | erational | W | W | 0.17W | OM mode in E | ENERGY STAR maging Equipmen | t | |
| | e for ENEF | RGY STAR | kWh/week | kWh/week | kWh/week | | | | \boxtimes |
| (TEC= Ty | pical Energ | ду | | | | | | | |
| | | | W | W | W | | | | |
| | | | W | W | W | | | | |
| | | | W | W | W | | | 1 | ᆕ |
| | | | W | W | W | | | С | ╡ |
| | | | W | W | W | | | L | ╡ |
| | | | W | W | W | | | | ╡ |
| Extornal | | nly Efficience | y Level (International E | | ** | | | | |
| | | | | | | | | 4 | \boxtimes |
| Print/Scar | n Speed * | : | 7.7 images per minute | | | ISO/IEC 2473 | 4 | | |
| Default tir | | energy sav | | | | | | Γ | |
| P9.2* | Informat | ion about th | e energy save functior | n is provided with the | e product. | | \boxtimes | | |
| P10 | Emissio | | | | | | | | |
| D 10 1 | | | Declared according to I | | | | | | |
| P10.1 | Mode | M | ode description | | Statistical upper limit A-v . _{wa,c} (B) | veighted sound p | oower level, | | |
| | Idle | * | | * | | | | | \times |
| | Operatio | | peration mode in ECN | /A-74 * | 6.5 | | | | |
| | Other m | ode | | | | | | | |
| | Measure | ed according | | ECMA-74 only if not covered | ov ECMA-74) | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nu | mber * | E3640 | | | | | Logo | _ | | |
|-----------|----------|---|-------------------|-----------------|--------------------|--------------------|------------------|-------------|----------|------|
| Issue dat | e * | 2024/5/30 | | | | | | Can | 01 | 1 |
| Product | environ | mental attribute | s - Markot ro | quirements | (continued) | | | Require | ment | met |
| Item | childh | | | quiremente | (continued) | | | Yes | No | n.a. |
| | Chemic | cal emissions from | n printing pro | ducts (See N | OTE B10) | | | | | |
| P10.2* | Test pe | rformed according ent (ISO/IEC 2836 | to ECMA-328 I | Determination | | ssion Rates from I | Electronic | | | |
| P10.3 | Typical | emission rate (ope | eration phase) is | s (mg/h): | | | | | | |
| | Electror | ohotographic devic | es: Ozone | Dust | Styrene | Benzene | TVOC | | | |
| | Ink devi | • • | 00. 02010 | Dust | Styrene | Benzene | TVOC | | | H |
| | | | | 2001 | 01,101.0 | 201120110 | | | | |
| | | ompliance with ma | | | labels to be decla | ared in P14. | | | | |
| P11 | | nable materials for | | | | | | | | |
| P11.1* | | y Data Sheet (SDS | | | | • • | 1 1 | | | |
| P11.2* | EN 122 | | - | | • | ed that it meets | the requirements | s of 🔀 | | |
| P11.3* | 2-sided | (duplex) printing/c | opying is an int | egrated produ | ict function. | | | \square | | |
| P11.4* | The pro | duct is delivered to | o end-user with | default auto-o | luplex enabled. | | | | \times | |
| P13 | | ing and documer | | | | | | | | |
| P13.1* | Product | packaging materia packaging materia packaging materia | al type(s): PULI | MOLD weig | ht (kg): 0.255 | 9 | | | | |
| P13.2* | | plastic primary pa | | | - | | | \boxtimes | | |
| P13.3* | | duct primary corru | | ird packaging | , specify the con | tained percentage | e of minimum p | | | |
| P13.4* | | media for user and nic 🔀, Paper 🔀, | | mentation (tick | k box): | | | | | |
| P13.5 | Ùser an | only complete this d product docume blease specify: | | | | | | | | |
| | Totally | chlorine-free | | | | | | | | |
| | • | tal chlorine-free | | | | | | H | | |
| | | sed chlorine-free | | | | | | H | | |
| P14 | | ary programs: | | | | | | | | |
| P14.1 | | duct meets the rec | quirements of th | e following vo | luntary program(s | s): | | | | |
| | • | SY STAR® | Criteria ver | • | Date: | , | category: | | | |
| | Eco-lab | | Criteria ver | | Date: | | category: | | | |
| | Eco-lab | | Criteria ver | | Date: | | category: | | | |
| P15 | | nal information (| | | | | <u> </u> | | | |
| | | • | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

NOTE B10 A Guidance document on Chemical Emissions is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|---|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P4.1 |
| (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, 5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |