

COMPACT AND CONNECTED COLOUR SINGLE-FUNCTION LASER PRINTERS DRIVING HIGH PRODUCTIVITY FOR SMALL OFFICES



i-SENSYS LBP673Cdw

The Canon i-SENSYS LBP673Cdw Series is perfect for small offices looking to increase their productivity with streamlined print processes.



**FAST
PRINTING**



**WIRELESS
CONNECTIVITY**



**CLOUD
CONNECTIVITY**



**ROBUST
SECURITY**

Fast printing

Accelerate your business output with print speeds of up to 33ppm A4 colour and handling of smaller media types, including cheques and receipts

Cloud connectivity

Print documents directly from cloud storage services such as Google Drive, DropBox and OneDrive, with centralised print management from Microsoft Universal Print support

Exceptional image quality

Achieve superior colour graphics, images and texts with laser-quality printing for professional-level documents

Robust security

Protect sensitive documents from falling into the wrong hands with Secure PIN print functionality and protect the device from malicious attacks with Verify System at Start Up

Canon

PRINTER ENGINE

Print speed	Single sided : Up to 33 ppm (A4) Up to 60 ppm(A5-Landscape) Double sided : Up to 29.5 ipm (A4)
Printing method	Colour laser beam printing
Print quality	Up to 1200 x 1200 dpi
Warm-up time	Approx. 19.4 seconds or less from power on
First Page Out Time	Colour approx.: 7.1 seconds or less Mono approx.: 7.1 seconds or less
Recommended Monthly Print Volume	750 - 4,000 pages per month
Duty cycle	Max. 50,000 pages per month ¹
Print margins	5 mm-top, bottom, left and right
Advanced printing features	Encrypted Secure Print Secure Print Print from USB memory key (JPEG/TIFF/PDF) Microsoft Universal Print support iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

MEDIA HANDLING

Paper input (Standard)	250-sheet cassette 50-sheet multi-purpose tray
Paper input (Option)	550-sheet cassette
Maximum paper input capacity	850 sheets
Paper output	150-sheet
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Pre-punched, Label, Post card, Envelope
Media sizes	Cassette (Standard): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 98 x 148 mm Max. 216.0 x 356.0 mm. Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76 x 127 mm Max. 216.0 x 356.0 mm. Cassette (Optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K, Post card, Custom sizes: Min. 100 x 148 mm Max. 216.0 x 356.0 mm.
Media weights	Cassette (standard and optional): 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 176 g/m ² (Up to 200 g/m ² with Coated paper)
Double sided printing	Automatic Cassette: A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolsap, 16K Custom size - Min. 148 x 148 mm Max. 216.0 x 356.0 mm 60 to 200 g/m ²

GENERAL FEATURES

Power requirements	220-240V (±10%) 50/60Hz (±2Hz)
Power consumption	Maximum: Approx. 1,380W or less Active printing: Approx. 700 W Standby: Approx. 24.0W or less Sleep: Approx. 1.0 W or less Typical Electricity Consumption (TEC): 0.31 kWh/week ⁷ For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx

Noise level

	Sound power ² Active: 65dB or less Standby: 36dB or less Sound pressure ² Active: Simplex 51dB (CL) / 50 dB (BW) Duplex 51dB (CL) / 50dB (BW) Standby: 25 dB 425 mm x 427 mm x 300 mm Approx. 17.1 kg Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation) 5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad
Dimensions (W x D x H)	
Weight	
Operating environment	
Control panel	

CONTROLLER

Processor Speed	1200MHz x 2
Memory	1GB
Printer Languages	UFRII, PCL5c3, PCL6, Adobe® PostScript3
Fonts	45 PCL fonts, 136 PS fonts
Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Print: TCP/IP (LPD/Port9100/IPP/IPPS/WSD)
Network Protocol	Management: SNMPv1, SNMPv3 (IPv4,IPv6)

Security :	TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)
Security (wireless):	Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WAP2-EAP(AEP)
Access Point Mode:	WPA2-PSK(AES)
Remote User Interface (RUI),	Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices
eMaintenance:	embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.
Operating Systems Compatibility	Windows® 11 / Windows® 10 / Windows® 8.1 / Server® 2022 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012 Mac OS X version 10.12 & up Linux ⁴

CONSUMABLES

All-in-One cartridges	Cartridge 069 Black (2,100 pages ⁵⁾⁶ Cartridge 069H Black (7,600 pages ⁵⁾⁶ Cartridge 069 Cyan (1,900 pages ⁵⁾⁶ Cartridge 069H Cyan (5,500 pages ⁵⁾⁶ Cartridge 069 Magenta (1,900 pages ⁵⁾⁶ Cartridge 069H Magenta (5,500 pages ⁵⁾⁶ Cartridge 069 Yellow (1,900 pages ⁵⁾⁶ Cartridge 069H Yellow (5,500 pages ⁵⁾⁶
------------------------------	--

ACCESSORIES/OPTIONS

Items	PAPER FEEDER PF-K1 (550-sheet cassette)
--------------	---

Notes:

¹⁾ Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product

²⁾ Declared noise emission in accordance with ISO 7779.
Based on ISO9296, below figure is different.
Active: 62dB or less

³⁾ Commands supported only. Third party driver or direct printing from application required.

⁴⁾ Web distribution only

⁵⁾ Based on ISO/IEC 19798

⁶⁾ Printer ships with Black: 1,200 pages, C/M/Y: 1,100 pages starter cartridges

⁷⁾ As per US ENERGY STAR® version 3.0

COMPACT AND CONNECTED COLOUR SINGLE-FUNCTION LASER PRINTERS DRIVING HIGH PRODUCTIVITY FOR SMALL OFFICES

The Canon i-SENSYS LBP673Cdw Series is perfect for small offices looking to increase their productivity with streamlined print processes.



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS LBP673Cdw	5456C013AA	8714574671444

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
PAPER FEEDER PF-K1	0732A032AA	4549292077278

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 069 Black	5094C002AA	4549292196771
Cartridge 069H Black	5098C002AA	4549292196924
Cartridge 069 Yellow	5091C002AA	4549292196689
Cartridge 069H Yellow	5095C002AA	4549292196801
Cartridge 069 Magenta	5092C002AA	4549292196719
Cartridge 069H Magenta	5096C002AA	4549292196856
Cartridge 069 Cyan	5093C002AA	4549292196740
Cartridge 069H Cyan	5097C002AA	4549292196887



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2023