

DURABLE A4 COLOUR MULTI-FUNCTION PRINTERS CONNECTED TO THE CLOUD FOR STREAMLINED PRINTING AND SCANNING



i-SENSYS MF650 series
Designed for small to medium businesses or individuals working remotely, the Canon i-SENSYS MF650 Series is a range of fast and reliable A4 colour multi-function printers

Access files from the cloud

Out-of-the-box cloud connectivity is compatible with Google Drive, DropBox, and OneDrive, making it quick and easy to print and scan directly to and from the cloud.

Print from your smartphone

Mobile connectivity with the Canon PRINT Business app, AirPrint (Apple) and Mopria (Android) means you can print from your phone, wherever you are.

Automate everyday tasks

Customise your workflows with the Application Library, which enables one-touch tasks such as printing stored forms, scanning to email, and copying documents.



**ACCESS FILES
FROM THE CLOUD**



**PROTECT SENSITIVE
DOCUMENTS**



**PRINT FROM YOUR
SMARTPHONE**



**INCREASE
EFFICIENCY**



**AUTOMATE
EVERYDAY TASKS**

Protect sensitive documents

Robust security features include Secure PIN to restrict jobs being automatically released and Verify System at Startup to protect your device from hacking and virus threats.

Increase efficiency

Fast printing, time-saving single-pass double-sided scanning, and a large colour touchscreen facilitate efficient print and scan workflows.

Canon

RANGE FEATURE STEP UP CHART



MF651Cw



MF655Cdw



MF657Cdw

| | | | |
|-----------------------------|----------------------------|----------------------------|----------------------------|
| Fax | | | ● |
| A4 print speed | 18ppm | 21ppm | 21ppm |
| Display | 12.7cm colour touch screen | 12.7cm colour touch screen | 12.7cm colour touch screen |
| Secure PIN print | ● | ● | ● |
| Automatic duplex printing | | ● | ● |
| Built-in cloud connectivity | ● | ● | ● |
| Application Library | ● | ● | ● |
| Single pass duplex scan | | | ● |

TECHNICAL SPECIFICATIONS

i-SENSYS MF650 Series

| | | | |
|--------------------------------------|---|---|--|
| Machine type | Colour Laser All-In-One | Media sizes | Cassette : |
| Available functions | MF657Cdw: Print, Copy, Scan and Fax MF655Cdw/MF651Cw: Print, Copy and Scan | | A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COMIO, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216 x 355.6 mm. |
| PRINTER | | | |
| Print speed | MF657Cdw/MF655Cdw: Up to 1200 x 1200 dpi Single sided : Up to 21 ppm (A4) Up to 38 ppm (A5-Landscape) Double sided : Up to 12.7 ipm (A4) MF651Cw: Single sided : Up to 18 ppm (A4) Up to 38 ppm (A5-Landscape) | | Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COMIO, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216 x 355.6 mm. |
| Printing method | Secure Print Colour laser beam printing Up to 1200 x 1200 dpi Approx. 13 seconds or less from power on Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less | Media weights | ADF (MF657Cdw/MF655Cdw only): A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm Cassette: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) ADF (MF657Cdw/MF655Cdw): 50 to 105 g/m ² |
| Print resolution | Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less | Double sided printing | MF657Cdw/MF655Cdw only Automatic Cassette: A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 182 x 257 mm Max. 215.9 x 355.6 mm 60 to 200 g/m ² |
| Warm-up time | MF657Cdw: UFR II, PCL 5c ² , PCL6, Adobe® PostScript3 MF655Cdw: UFR II, PCL 5c ² , PCL6 MF651Cw: UFR II | | |
| First Print Out Time | MF657Cdw: 93 PCL fonts 136 PostScript fonts MF655Cdw: 45 PCL fonts | INTERFACE & SOFTWARE | |
| Printer languages | 5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope) | Interface type | USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection |
| Fonts | Yes MF657Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) Barcode Print ² iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app MF655Cdw/MF651Cw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app | Operating System compatibility | Windows* 11 / Windows* 10 / Windows* 8.1 / Server* 2019 / Server* 2016 / Server* 2012R2 / Server* 2012 Mac OS X version 10.11 & up Linux7 |
| Print margins | Yes MF657Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app | Network Protocol | Print: TCP/IP (LPD/Port9100/IPP/PPS/WSD) Scan: Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP) E-mail/-Fax: SMTP (send), POP3 (receive) Pull Scan: TCP/IP |
| Toner saver mode | Yes MF657Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app | | Management: SNMPv1, SNMPv3 (IPv4,IPv6) |
| Advanced printing features | Yes MF657Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app | | Security: TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, iPPS) Security (wireless): Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES) Access Point Mode: WPA2-PSK(AES) |
| COPIER | | Software and printer management | MF Scan Utility, Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Application Library |
| Copy speed | MF657Cdw/MF655Cdw: Single sided (A4): Up to 21 ppm Double sided (A4): Up to 12.7 ppm MF651Cw: Single sided (A4): Up to 18 ppm | GENERAL FEATURES | |
| First Copy Output Time (FCOT) | MF657Cdw/MF655Cdw: ADF (A4): Colour Approx. 13.4 seconds or less Mono Approx. 11.4 seconds or less Platen (A4): Colour Approx. 14.5 seconds or less Mono Approx. 12.3 seconds or less MF651Cw: Platen (A4): Colour Approx. 13.4 seconds or less Mono Approx. 11.4 seconds or less | Recommended Monthly Print Volume | 250 - 2,500 pages per month |
| | | Duty cycle | Max. 30,000 pages per month ³⁾ |
| | | Processor Speed | 800MHz x 2 |
| | | Memory | MF657Cdw: 1GB MF655Cdw: 1GB |
| | | Control panel | 12.7 cm LCD Colour Touch Screen |
| | | Dimensions with trays (W x D x H) | MF657Cdw/MF655Cdw: 451 mm x 460 mm x 413 mm MF651Cw: 451 mm x 460 mm x 360 mm |
| | | Installation space (W x D x H) | MF657Cdw/MF655Cdw: 783 mm x 1,211 mm x 789 mm MF651Cw: 651 mm x 1,046 mm x 780 mm |
| | | Weight | MF657Cdw/MF655Cdw: 22.6 Kg MF651Cw: 18.9 Kg |
| | | Operating environment | Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) 220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 850 W Active printing: Approx. 370W Standby: Approx. 11.0 W Sleep mode: Approx. 0.8 W |
| | | Power Source | MF657Cdw/MF655Cdw: Typical Electricity Consumption (TEC): 0.22 kWh/week12 MF651Cw: Typical Electricity Consumption (TEC): 0.19 kWh/week12 For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx |
| | | Power Consumption | MF657Cdw/MF655Cdw Sound Pressure ⁴⁾ Active: Simplex 51 dB / Duplex 50 dB Standby: Inaudible |
| | | Noise Levels | Sound Power ⁵⁾ Active: Simplex 65dB or less / Duplex 67 dB or less Standby: Inaudible |
| | | | MF651Cw: Sound Pressure ⁶⁾ Active: 49 dB Standby: Inaudible |
| | | | Sound Power ⁷⁾ Active: 64dB or less Standby: Inaudible |
| | | CONSUMABLES | |
| | | Cartridges | Cartridge 067 Black (1,350 pages ¹⁰⁾) Cartridge 067H Black (3,150 pages ¹⁰⁾) Cartridge 067 Cyan (1,250 pages ¹⁰⁾) Cartridge 067H Cyan (2,350 pages ¹⁰⁾) Cartridge 067 Magenta (1,250 pages ¹⁰⁾) Cartridge 067H Magenta (2,350 pages ¹⁰⁾) Cartridge 067 Yellow (1,250 pages ¹⁰⁾) Cartridge 067H Yellow (2,350 pages ¹⁰⁾) |
| | | ACCESSORIES/ OPTIONS | |
| | | Items | MF657Cdw: TEL 6 Kit Long Cord (Telephone handset) Barcode Printing Kit-EIE Send PDF Security Feature Set-E1 |
| | | Notes: | |
| | | ⁽¹⁾ Subscription to a third party cloud service is required, and subject to their party terms and conditions. | |
| | | ⁽²⁾ Commands supported only. Third party driver or direct printing from application required. | |
| | | ⁽³⁾ Accessory - Barcode Printing Kit-EIE - is required. | |
| | | ⁽⁴⁾ Accessory - Send PDF Security Feature Set-E1 is required. | |
| | | ⁽⁵⁾ Scan by MF Scan Utility or Canon PRINT Business. | |
| | | ⁽⁶⁾ Based on ITU-T Standard Chart No. 1. | |
| | | ⁽⁷⁾ Web distribution only. Linux support printing only. | |
| | | ⁽⁸⁾ Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product. | |
| | | ⁽⁹⁾ Declared noise emission in accordance with ISO 9296. | |
| | | ⁽¹⁰⁾ Based on ISO/IEC 19798. | |
| | | ⁽¹¹⁾ Printer ships with Black: 1,350 pages, C/M/Y: 680 pages starter cartridges. | |
| | | ⁽¹²⁾ As per US ENERGY STAR [®] version 3.0. | |



PRODUCT DETAILS:

| PRODUCT NAME | Mercury Code | EAN Code |
|-------------------|--------------|---------------|
| i-SENSYS MF651Cw | 5158C009AA | 4549292188202 |
| i-SENSYS MF655Cdw | 5158C004AA | 4549292186048 |
| i-SENSYS MF657Cdw | 5158C001AA | 4549292186024 |

ACCESSORIES:

| PRODUCT NAME | Mercury Code | EAN Code |
|----------------------------------|--------------|------------------|
| MiCard Attachment kit-B1 | 5146B002AA | 4549292027235 |
| Barcode Printing Kit-E1E | 5143B002AA | N/A (e-delivery) |
| Send PDF Security Feature Set-E1 | 9594B002AA | N/A (e-delivery) |
| Telephone 6 Kit EU (CW) | 0752A054AA | 4960999453910 |
| Telephone 6 Kit UK (CW) | 0752A053AA | 4960999453897 |
| Telephone 6 Kit SA (CW) | 0752A055AA | 4960999453927 |

CONSUMABLES:

| PRODUCT NAME | Mercury Code | EAN Code |
|------------------------|--------------|---------------|
| Cartridge 067 Black | 5102C002AA | 4549292187564 |
| Cartridge 067H Black | 5106C002AA | 4549292187397 |
| Cartridge 067 Yellow | 5099C002AA | 4549292187434 |
| Cartridge 067H Yellow | 5103C002AA | 4549292187595 |
| Cartridge 067 Magenta | 5100C002AA | 4549292187502 |
| Cartridge 067H Magenta | 5104C002AA | 4549292187625 |
| Cartridge 067 Cyan | 5101C002AA | 4549292187533 |
| Cartridge 067H Cyan | 5105C002AA | 4549292187656 |

Canon Inc.
canon.com

Canon Europe
canon-europe.com

UK English Edition
© Canon Europa N.V., 2025