

DURABLE A4 COLOUR MULTI-FUNCTION PRINTERS CONNECTED TO THE CLOUD FOR STREAMLINED PRINTING AND SCANNING



i-SENSYS MF650 series
Designed for small to medium businesses or individuals working remotely, the Canon i-SENSYS MF650 Series is a range of fast and reliable A4 colour multi-function printers

Access files from the cloud

Out-of-the-box cloud connectivity is compatible with Google Drive, DropBox, and OneDrive, making it quick and easy to print and scan directly to and from the cloud.

Print from your smartphone

Mobile connectivity with the Canon PRINT Business app, AirPrint (Apple) and Mopria (Android) means you can print from your phone, wherever you are.

Automate everyday tasks

Customise your workflows with the Application Library, which enables one-touch tasks such as printing stored forms, scanning to email, and copying documents.



**ACCESS FILES
FROM THE CLOUD**



**PROTECT SENSITIVE
DOCUMENTS**



**PRINT FROM YOUR
SMARTPHONE**



**INCREASE
EFFICIENCY**



**AUTOMATE
EVERYDAY TASKS**

Protect sensitive documents

Robust security features include Secure PIN to restrict jobs being automatically released and Verify System at Startup to protect your device from hacking and virus threats.

Increase efficiency

Fast printing, time-saving single-pass double-sided scanning, and a large colour touchscreen facilitate efficient print and scan workflows.

Canon

RANGE FEATURE STEP UP CHART



MF651Cw



MF655Cdw



MF657Cdw

Fax			●
A4 print speed	18ppm	21ppm	21ppm
Display	12.7cm colour touch screen	12.7cm colour touch screen	12.7cm colour touch screen
Secure PIN print	●	●	●
Automatic duplex printing		●	●
Built-in cloud connectivity	●	●	●
Application Library	●	●	●
Single pass duplex scan			●

TECHNICAL SPECIFICATIONS

i-SENSYS MF650 Series

Machine type	Colour Laser All-In-One	Media sizes	Cassette :
Available functions	MF657Cdw: Print, Copy, Scan and Fax MF655Cdw/MF651Cw: Print, Copy and Scan		A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COMIO, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216 x 355.6 mm.
PRINTER			
Print speed	MF657Cdw/MF655Cdw: Up to 1200 x 1200 dpi Single sided : Up to 21 ppm (A4) Up to 38 ppm (A5-Landscape) Double sided : Up to 12.7 ipm (A4) MF651Cw: Single sided : Up to 18 ppm (A4) Up to 38 ppm (A5-Landscape)		Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COMIO, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216 x 355.6 mm. ADF (MF657Cdw/MF655Cdw only): A4, A5, B5, Legal, Letter, Statement, Custom sizes: Min. 128 x 139.7 mm Max 215.9 x 355.6 mm Cassette: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) ADF (MF657Cdw/MF655Cdw): 50 to 105 g/m ² MF657Cdw/MF655Cdw only Automatic Cassette: A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 182 x 257 mm Max. 215.9 x 355.6 mm 60 to 200 g/m ²
Printing method	Secure Print Colour laser beam printing Up to 1200 x 1200 dpi Approx. 13 seconds or less from power on Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less	Media weights	
Print resolution	MF657Cdw: UFR II, PCL 5c ² , PCL6, Adobe® PostScript3 MF655Cdw: UFR II, PCL 5c ² , PCL6 MF651Cw: UFR II		
Warm-up time	MF657Cdw: 93 PCL fonts 136 PostScript fonts MF655Cdw: 45 PCL fonts	Double sided printing	
First Print Out Time	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)		
Printer languages	Yes MF657Cdw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) Barcode Print ² iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app MF655Cdw/MF651Cw: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Print from Cloud ¹ (Dropbox, GoogleDrive, OneDrive) (PDF/JPEG) iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app	INTERFACE & SOFTWARE	
Fonts		Interface type	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
Print margins		Operating System compatibility	Windows* 11 / Windows* 10 / Windows* 8.1 / Server* 2019 / Server* 2016 / Server* 2012R2 / Server* 2012 Mac OS X version 10.11 & up Linux7
Toner saver mode		Network Protocol	Print: TCP/IP (LPD/Port9100/IPP/PPS/WSD) Scan: Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP) E-mail/-Fax: SMTP (send), POP3 (receive) Pull Scan: TCP/IP
Advanced printing features			Management: SNMPv1, SNMPv3 (IPv4,IPv6) Security: TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, iPPS) Security (wireless): Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES) Access Point Mode: WPA2-PSK(AES)
COPIER		Software and printer management	MF Scan Utility, Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Application Library
Copy speed	MF657Cdw/MF655Cdw: Single sided (A4): Up to 21 ppm Double sided (A4): Up to 12.7 ppm MF651Cw: Single sided (A4): Up to 18 ppm	GENERAL FEATURES	
First Copy Output Time (FCOT)	MF657Cdw/MF655Cdw: ADF (A4): Colour Approx. 13.4 seconds or less Mono Approx. 11.4 seconds or less Platen (A4): Colour Approx. 14.5 seconds or less Mono Approx. 12.3 seconds or less MF651Cw: Platen (A4): Colour Approx. 13.4 seconds or less Mono Approx. 11.4 seconds or less	Recommended Monthly Print Volume	250 - 2,500 pages per month
		Duty cycle	Max. 30,000 pages per month ³⁾
		Processor Speed	800MHz x 2
		Memory	MF657Cdw: 1GB MF655Cdw: 1GB
		Control panel	12.7 cm LCD Colour Touch Screen
		Dimensions with trays (W x D x H)	MF657Cdw/MF655Cdw: 451 mm x 460 mm x 413 mm MF651Cw: 451 mm x 460 mm x 360 mm
		Installation space (W x D x H)	MF657Cdw/MF655Cdw: 783 mm x 1,211 mm x 789 mm MF651Cw: 651 mm x 1,046 mm x 780 mm
		Weight	MF657Cdw/MF655Cdw: 22.6 Kg MF651Cw: 18.9 Kg
		Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation) 220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 850 W Active printing: Approx. 370W Standby: Approx. 11.0 W Sleep mode: Approx. 0.8 W
		Power Source	MF657Cdw/MF655Cdw: Typical Electricity Consumption (TEC): 0.22 kWh/week12 MF651Cw: Typical Electricity Consumption (TEC): 0.19 kWh/week12 For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
		Power Consumption	MF657Cdw/MF655Cdw Sound Pressure ⁶⁾ Active: Simplex 51 dB / Duplex 50 dB Standby: Inaudible Sound Power ⁶⁾ Active: Simplex 65dB or less / Duplex 67 dB or less Standby: Inaudible MF651Cw: Sound Pressure ⁶⁾ Active: 49 dB Standby: Inaudible Sound Power ⁶⁾ Active: 64dB or less Standby: Inaudible
Copy resolution	Up to 600 x 600 dpi	Noise Levels	
Copy modes	Text/Photo/Map (Default),Text/Photo/Map (quality), Printed Image, Text		
Double sided copying	MF657Cdw: 2-sided to 2-sided (Automatic) MF655Cdw: 1-sided to 2-sided (Automatic)		
Multiple copy	Up to 999 copies		
Reduction / Enlargement	25-400% in 1% increments		
Other features	Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy		
SCANNER			
Type	Colour		
Scan resolution	Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi		
Scan speed	MF657Cdw: Single sided mono: 27ipm (300x600dpi) Single sided colour: 14ipm (300x600dpi) Double sided mono: 47ipm (300x600dpi) Double sided colour: 27ipm (300x600dpi)		
Colour scanning depth	MF657Cdw: 24 bit/24 bit (input/output) MF655Cdw: 24 bit/24 bit (input/output) MF651Cw: 24 bit/24 bit (input/output)		
Greyscales	MF657Cdw: 256 levels MF655Cdw: 256 levels		
Compatibility	MF657Cdw: TWAIN , WIA , ICA MF655Cdw: TWAIN , WIA , ICA MF651Cw: TWAIN , WIA , ICA		
Max. scan width	MF657Cdw: 216mm MF655Cdw: 216mm		
Scan to E-mail	MF657Cdw: TIFF/JPEG/PDF/Compact PDF/Searchable PDF/Encrypted PDF4/ PDF (Digital signature)* MF655Cdw/MF651Cw: TIFF/JPEG/PDF/Compact PDF/Searchable PDF		
Scan to PC			
Scan to USB memory key			
Scan to FTP			
Scan to Cloud¹			
IFAX	TIFF/JPEG/PDF/PNG ⁵⁾ MF657Cdw: ITU-T.37		
FAX			
Modem speed	MF657Cdw ONLY 33.6 Kbps (Up to 3 seconds/page ⁵⁾) Fax only, Fax/Tel Auto Switch, Answer Mode, Manual		
Receive mode	Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi		
Fax resolution			
FAX memory	Up to 512 pages ⁵⁾		
Speed dials	Up to 281 dials		
Group dials/destinations	Max. 299 dials / Max. 299 destinations		
Sequential broadcast	Max. 310 destinations		
Memory backup	Permanent fax memory backup (Backup with flash memory)		
Double sided faxing	Yes (Transmit and Receive)		
Other features	Sender's Name (TTI), Direct Send, TX Report, Sequential Broadcasting		
MEDIA HANDLING		CONSUMABLES	
Scanner type	MF657Cdw: Platen, 2-sided ADF (single pass) MF655Cdw: Platen, ADF MF651Cw: Platen	Cartridges	Cartridge 067 Black (1,350 pages ¹⁰⁾) Cartridge 067H Black (3,150 pages ¹⁰⁾) Cartridge 067 Cyan (1,250 pages ¹⁰⁾) Cartridge 067H Cyan (2,350 pages ¹⁰⁾) Cartridge 067 Magenta (1,250 pages ¹⁰⁾) Cartridge 067H Magenta (2,350 pages ¹⁰⁾) Cartridge 067 Yellow (1,250 pages ¹⁰⁾) Cartridge 067H Yellow (2,350 pages ¹⁰⁾)
Paper input (Standard)	MF657Cdw: 250-sheet cassette 1-sheet manual feed slot 50-sheet ADF MF655Cdw/MF651Cw: 250-sheet cassette 1-sheet manual feed slot	ACCESSORIES/ OPTIONS	
		Items	MF657Cdw: TEL 6 Kit Long Cord (Telephone handset) Barcode Printing Kit-EIE Send PDF Security Feature Set-E1
Paper input (Option)		Notes:	
Maximum paper input capacity	251 sheets	(1) Subscription to a third party cloud service is required, and subject to their party terms and conditions.	
Paper output	100-sheet	(2) Commands supported only. Third party driver or direct printing from application required.	
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope	(3) Accessory - Barcode Printing Kit-EIE - is required	
		(4) Accessory - Send PDF Security Feature Set-E1 is required	
		(5) Scan by MF Scan Utility or Canon PRINT Business	
		(6) Based on ITU-T Standard Chart No. 1	
		(7) Web distribution only. Linux support printing only.	
		(8) Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product	
		(9) Declared noise emission in accordance with ISO 9296	
		(10) Based on ISO/IEC 19798	
		(11) Printer ships with Black: 1,350 pages, C/M/Y: 680 pages starter cartridges	
		(12) As per US ENERGY STAR [®] version3.0.	



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF651Cw	5158C017AA	8714574670300
i-SENSYS MF655Cdw	5158C015AA	8714574670287
i-SENSYS MF657Cdw	5158C011AA	8714574670249

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)
Send PDF Security Feature Set-E1	9594B002AA	N/A (e-delivery)
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Telephone 6 Kit UK (CW)	0752A053AA	4960999453897
Telephone 6 Kit SA (CW)	0752A055AA	4960999453927

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 067 Black	5102C002AA	4549292187564
Cartridge 067H Black	5106C002AA	4549292187397
Cartridge 067 Yellow	5099C002AA	4549292187434
Cartridge 067H Yellow	5103C002AA	4549292187595
Cartridge 067 Magenta	5100C002AA	4549292187502
Cartridge 067H Magenta	5104C002AA	4549292187625
Cartridge 067 Cyan	5101C002AA	4549292187533
Cartridge 067H Cyan	5105C002AA	4549292187656

Canon Ireland
 3006 Lake Drive
 Citywest, Saggart
 Co. Dublin, Ireland
 Telephone No: 01 2052400
 Facsimile No: 01 2052525
 canon.ie

Canon (UK) Ltd
 5 The Square
 Stockley Park
 Uxbridge
 UB11 1ET
 Tel: 01895 648 000
 www.canon.co.uk

Canon Inc.
 canon.com
Canon Europe
 canon-europe.com
 English edition
 © Canon Europa N.V., 2021

