

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name** Canon C-EXV 58 Toner Yellow  
**Product code(s)** 3766C002

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** Toner for electrophotographic machines

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Importer  
Canon Europa N.V.  
Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands  
+31 20 5458545, +31 20 5458222  
www.canon-europe.com, ceu-Reach@canon-europe.com

#### Manufacturer

Canon Inc.  
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

### 1.4. Emergency telephone number

<b>Austria</b>	+43 (0) 1 406 43 43	<b>Belgium</b>	+32 (0) 70 245 245
<b>Bulgaria</b>	+359 2 9154 233	<b>Croatia</b>	+385 (0)1-23-48-342
<b>Cyprus</b>	1401	<b>Czech Republic</b>	+420 224919293
<b>Denmark</b>	+45 82 12 12 12 <sup>[*1]</sup>	<b>Estonia</b>	16662
<b>Finland</b>	+358 (0)9 471977	<b>France</b>	+33 (0)1 45 42 59 59
<b>Greece</b>	+30 210 7793777	<b>Hungary</b>	+36 80 20 11 99
<b>Ireland</b>	353 (1) 809-2166/-2566	<b>Italy</b>	+39 (0)55 7947819
<b>Latvia</b>	+371 67042473	<b>Lithuania</b>	+370 (85) 2362052
<b>Luxembourg</b>	(+352) 8002 5500	<b>Malta</b>	21224071
<b>Netherlands</b>	+31 (0)30-2748888 <sup>[*2]</sup>	<b>Poland</b>	42 25 38-421/-422/-406
<b>Portugal</b>	+351 800 250 250	<b>Romania</b>	+40 21 318 36 06
<b>Slovakia</b>	+421 2 5477 4166	<b>Slovenia</b>	112
<b>Spain</b>	+34 91 562 04 20	<b>Sweden</b>	112 <sup>[*3]</sup>
<b>United Kingdom</b>	+44 121 507 4123	<b>Iceland</b>	112
<b>Liechtenstein</b>	145	<b>Norway</b>	+47 22 59 13 00
<b>Switzerland</b>	145		

\*1 Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

\*2 Only for the purpose of informing medical personnel in cases of acute intoxications.

\*3 Ask for Poison Information

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**  
Not classified

### 2.2. Label elements

**Labelling according to Regulation (EC) No 1272/2008**

**Hazard pictograms**

Not required

**Signal word**

Not required

**Hazard statements**

Not required

**Precautionary statements**

Not required

**Other information**

None

**2.3. Other hazards**

None

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to other hazards
Polyester resin	CBI	CBI	None	70 - 80	None	
Pigment	CBI	CBI	None	5 - 10	None	
Styrene acrylate copolymer	CBI	CBI	None	3 - 10	None	
Amorphous silica	7631-86-9	231-545-4	01-2119379499-16-xxxx	3 - 10	None	
Wax	CBI	CBI	None	3 - 10	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to other hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Move to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.

**Skin contact**

Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.

**Eye contact**

Flush with plenty of water. Get medical attention immediately if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed****Inhalation**

None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

**Ingestion**

None under normal use.

---

<b>Skin contact</b>	None under normal use.
<b>Eye contact</b>	None under normal use. May cause slight irritation.
<b>Chronic effects</b>	None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung damage.

**4.3. Indication of any immediate medical attention and special treatment needed**

None

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Use CO<sub>2</sub>, water, dry chemical, or foam.

**Unsuitable extinguishing media**

None

**5.2. Special hazards arising from the substance or mixture**

**Special hazard**

May form explosive mixtures with air.

**Hazardous combustion products**

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

**5.3. Advice for firefighters**

**Special protective equipment for firefighters**

None

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

**6.2. Environmental precautions**

Keep out of waterways.

**6.3. Methods and material for containment and cleaning up**

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

**6.4. Reference to other sections**

None

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

**7.3. Specific end uses**

Toner for electrophotographic machines. Obtain special instructions before use.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits**

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Amorphous silica 7631-86-9	None	TWA: 4 mg/m <sup>3</sup> inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Amorphous silica 7631-86-9	TWA: 4.0 mg/m <sup>3</sup> amorphous SiO <sub>2</sub>	None	TWA: 5 mg/m <sup>3</sup>	None	TRGS TWA: 4 mg/m <sup>3</sup> inhalable fraction DFG TWA: 4 mg/m <sup>3</sup> inhalable fraction
Chemical name	Greece	Hungary	Ireland	Italy	Netherlands
Amorphous silica 7631-86-9	None	None	TWA: 6 mg/m <sup>3</sup> total inhalable dust TWA: 2.4 mg/m <sup>3</sup> respirable dust STEL: 18 mg/m <sup>3</sup> respirable dust STEL: 7.2 mg/m <sup>3</sup> respirable dust	None	None
Chemical name	Sweden	United Kingdom	Norway	Switzerland	Turkey
Amorphous silica 7631-86-9	None	TWA: 6 mg/m <sup>3</sup> inhalable dust TWA: 2.4 mg/m <sup>3</sup> respirable dust	TWA: 1.5 mg/m <sup>3</sup> respirable dust STEL: 3 mg/m <sup>3</sup> respirable dust	TWA: 4 mg/m <sup>3</sup> inhalable dust	None

**8.2. Exposure controls**

**Appropriate engineering controls** None under normal use conditions.

**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	Not required under normal use.
<b>Skin protection</b>	Not required under normal use.
<b>Respiratory protection</b>	Not required under normal use.
<b>Thermal hazards</b>	Not applicable

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Yellow ; powder
<b>Odor</b>	Slight odor
<b>Odor threshold</b>	No data available
<b>pH</b>	Not applicable
<b>Melting/freezing point (°C)</b>	85 - 120 (Softening point)
<b>Boiling point/range (°C)</b>	Not applicable
<b>Flash point (°C)</b>	Not applicable
<b>Evaporation rate</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not flammable; estimated

<b>Flammability limits in air</b>	
Upper flammability limit	Not applicable
Lower flammability limit	Not applicable
<b>Vapor pressure</b>	Not applicable
<b>Vapor density</b>	Not applicable
<b>Relative density</b>	1.0 - 1.5
<b>Solubility(ies)</b>	Organic solvent; partly soluble
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Auto-ignition temperature (°C)</b>	No data available
<b>Decomposition temperature (°C)</b>	> 200
<b>Viscosity (mPa s)</b>	Not applicable
<b>Explosive properties</b>	May form explosive mixtures with air
<b>Oxidizing properties</b>	No data available

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None

**10.2. Chemical stability**

Stable

**10.3. Possibility of hazardous reactions**

None

**10.4. Conditions to avoid**

None

**10.5. Incompatible materials**

Acids, Bases, Oxidizing agents, Reducing agents.

**10.6. Hazardous decomposition products**Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

<b>Acute toxicity</b>	Estimate: LD50 > 2000 mg/kg (Ingestion)
<b>Skin corrosion/irritation</b>	Estimate: Mild irritant
<b>Serious eye damage/eye irritation</b>	Estimate: Transient slight conjunctival irritation only.
<b>Sensitization</b>	Estimate: Non-sensitizing
<b>Germ cell mutagenicity</b>	Ames Test (S. typhimurium, E. coli): Negative
<b>Carcinogenicity</b>	No data available

<b>Reproductive toxicity</b>	No data available
<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m <sup>3</sup> which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m <sup>3</sup> , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m <sup>3</sup> . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.
<b>Aspiration hazard</b>	No data available
<b>Other information</b>	No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### **Ecotoxicity effects**

Estimate: Fish, 96h LL50 > 100 mg/l (WAF)  
Estimate: Crustaceans, 48h EL50 > 100 mg/l (WAF)  
Estimate: Algae, ErL50(0-72h) > 100 mg/l (WAF)

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

## SECTION 14: Transport information

**14.1. UN number** None

Issuing date : 18-Sep-2020

Revision date : -

3766C002

Canon C-EXV 58 Toner Yellow

---

<b>14.2. UN proper shipping name</b>	None
<b>14.3. Transport hazard class</b>	None
<b>14.4. Packing group</b>	None
<b>14.5. Environmental hazards</b>	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.
<b>14.6. Special precautions for users</b>	IATA: Not regulated
<b>14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EU) 2019/1021	Not regulated
(EU) No 649/2012	Not regulated
Other information	None

### 15.2. Chemical safety assessment

None

## SECTION 16: Other information

### Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012

### Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164 and (EU) 2019/1831.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date : 18-Sep-2020

Revision date : -

Revision note : None

This safety data sheet (SDS) is supplied voluntarily.

Issuing date : 18-Sep-2020

Revision date : -

3766C002

Canon C-EXV 58 Toner Yellow

---

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.