# Canon

# **Safety Data Sheet**

SDS #: TCW 0011 R - 04 EU EN Issuing date: 27-Jun-2014 Revision date: 25-Jul-2019

Version: 04

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Canon C-EXV 48 Toner Black **Product name** 

Product Code(s) 9106B002

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use Toner for electrophotographic machines

# 1.3. Details of the supplier of the safety data sheet

#### Supplier

Importer

Canon Europa N.V.

Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands

+31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com

#### Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

### 1.4. Emergency Telephone Number

Austria Bulgaria Cyprus Denmark Finland Greece Italy Lithuania Malta	+43 (0) 1 406 43 43 112 1401 +45 82 12 12 12 12 11 +358 (0)9 471977 +30 210 7793777 +39 (0)55 7947819 +370 687 53378 112	Belgium Croatia Czech Republic Estonia France Hungary Latvia Luxembourg Netherlands	+32 (0) 70 245 245 +385 (0)1-23-48-342 +420 224919293 16662 +33 (0)1 45 42 59 59 +36 80 20 11 99 +371 67042473 112 +31 (0)30-2748888 [*2]
Poland	112	Portugal	+351 808 250 143
Romania	+40 21 318 36 06	Slovakia	+421 2 5477 4166
Slovenia	112	Spain	112
Sweden	112 <sup>[*3]</sup>	United Kingdom	111 (UK only)
Iceland	112	Liechtenstein	145
Norway	+47 22 59 13 00	Switzerland	145

<sup>\*1</sup> Kontakt Giftlinien på tlf.nr.: 82 12 12 12 (åbent 24 timer i døgnet). Se punkt 4 om førstehjælp.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

#### 2.2. Label Elements

Labelling according to Regulation (EC) No 1272/2008

<sup>\*2</sup> Only for the purpose of informing medical personnel in cases of acute intoxications.

<sup>\*3</sup> Ask for Poison Information

**Hazard pictograms** 

Not required

Signal word Not required

**Hazard statements** 

Not required

**Precautionary statements** 

Not required

**Other Information** 

None

2.3. Other Hazards

None

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical name	CAS-No	EC-No	REACH registration number	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Polyester resin	CBI	CBI	None	80 - 90	None	
Carbon black	1333-86-4	215-609-9	CBI	1 - 5	None	
Pigment	CBI	CBI	None	1 - 5	None	
Amorphous silica	7631-86-9	231-545-4	01-2119379499-16-xxxx	1 - 3	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

**Eye Contact** Flush with plenty of water. Get medical attention immediately if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation None under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

**Ingestion** None under normal use.

**Skin Contact** None under normal use.

EU EN Page 2/8

**Eye Contact** None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use CO<sub>2</sub>, water, dry chemical, or foam.

### Unsuitable extinguishing media

None

#### 5.2. Special hazards arising from the substance or mixture

#### **Special Hazard**

May form explosive mixtures with air.

# **Hazardous combustion products**

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

None

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

# 6.2. Environmental Precautions

Keep out of waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

# 6.4. Reference to other sections

None

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

# 7.2. Conditions for safe storage, including any incompatibilities

EU EN Page 3/8

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

# 7.3. Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Exposure Limits**

Chemical name	EU OEL	Austria	Belgium	Bulgaria	Cyprus
Carbon black 1333-86-4	None	None	TWA: 3.5 mg/m <sup>3</sup>	None	None
Amorphous silica 7631-86-9	None	TWA: 4 mg/m <sup>3</sup> inhalable fraction	None	None	None
Chemical name	Czech Republic	Denmark	Finland	France	Germany
Carbon black 1333-86-4	TWA: 2.0 mg/m³ dust	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	None
Amorphous silica 7631-86-9	TWA: 4.0 mg/m³ amorphous SiO2	None	TWA: 5 mg/m <sup>3</sup>	None	TRGS TWA: 4 mg/m³ inhalable fraction DFG TWA: 4 mg/m³ inhalable fraction
Chemical name	Greece	Hungary	Ireland	Italy	Netherlands
Carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	None	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	None	None
Amorphous silica 7631-86-9	None	None	TWA: 6 mg/m³ total inhalable dust TWA: 2.4 mg/m³ respirable dust STEL: 18 mg/m³ total inhalable dust STEL: 7.2 mg/m³ respirable dust	None	None
Chemical name	Poland	Portugal	Romania	Slovakia	Spain
Carbon black 1333-86-4	TWA: 4.0 mg/m³ total inhalable dust	TWA: 3.5 mg/m <sup>3</sup>	None	TWA: 2 mg/m³ respirable fraction, 5% or less fibrogenic component TWA: 10 mg/m³ respirable fraction, greater than 5% fibrogenic component TWA: 10 mg/m³ total aerosol	TWA: 3.5 mg/m³
Amorphous silica 7631-86-9	None	None	None	TWA: 4.0 mg/m³ total aerosol	None
Chemical name	Sweden	United Kingdom	Norway	Switzerland	Turkey
Carbon black 1333-86-4	TLV: 3 mg/m³ total dust	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> STEL: 3.5 mg/m <sup>3</sup>	None	None
Amorphous silica 7631-86-9	None	TWA: 6 mg/m³ inhalable dust TWA: 2.4 mg/m³ respirable dust	TWA: 1.5 mg/m³ respirable dust STEL: 1.5 mg/m³ respirable dust	TWA: 4 mg/m³ inhalable dust, also manufactured in wet processing	None

# 8.2. Exposure controls

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

**Eye/face Protection**Skin Protection
Not required under normal use.
Not required under normal use.

EU EN Page 4/8

**Respiratory Protection** Not required under normal use.

Thermal hazards Not Applicable

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance Black ; powder
Odor Slight odor
Odor threshold No data available
pH Not Applicable

Melting/Freezing point (°C)

Boiling Point/Range (°C)

Flash Point (°C)

85 - 120 (Softening point)

Not Applicable

Not Applicable

Evaporation Rate Not Applicable

Flammability (solid, gas)

Not flammable; estimated Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density

Not Applicable
Not Applicable
Not Applicable
1.0 - 1.5

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water

Autoignition Temperature (°C)

Not Applicable
No data available

Decomposition Temperature (°C) > 200

Viscosity (mPa s) Not Applicable

**Explosive properties**May form explosive mixtures with air

Oxidizing properties No data available

### 9.2. Other Information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None

# 10.2. Chemical stability

Stable

### 10.3. Possibility of Hazardous Reactions

None

# 10.4. Conditions to Avoid

None

#### 10.5. Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

# 10.6. Hazardous Decomposition Products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

\_\_\_\_

EU EN Page 5/8

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

**Skin corrosion/irritation** Estimate: Non-irritant

Sensitization Estimate: Non-sensitizing

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

Carcinogenicity The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate

human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at

levels that induce particle overload of the lung.

However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other Information No data available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity effects** 

Estimate: Fish, 96h LC50 > 100 mg/l Estimate: Crustaceans, 48h EC50 > 100 mg/l Estimate: Algae, ErC50(0-72h) > 100 mg/l

#### 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

EU EN Page 6/8

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

# **SECTION 14: Transport information**

14.1. UN number None

14.2. UN Proper Shipping Name None

14.3. Transport Hazard Class None

14.4. Packing Group None

14.5. Environmental Hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

**14.6. Special Precautions for users** IATA: Not regulated

14.7. Transport in bulk according to Annex II of Not Applicable

MARPOL and the IBC Code

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EU) 2019/1021
(EU) No 649/2012
Other Information

Not regulated
Not regulated
Not regulated
Not regulated
None

#### 15.2. Chemical safety assessment

None

# **SECTION 16: Other information**

#### Key literature references and sources for data

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012

EU EN Page 7/8

# Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, (EU) 2017/2398 and (EU) 2019/983, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 27-Jun-2014

Revision date: 25-Jul-2019

Revision Note SECTION 3, 8, and 11 revised

This safety data sheet (SDS) is supplied voluntarily.

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

EU EN Page 8/8